



PADS Parts Library ASCII File Format Specification

PADS 9.4

**© 1987-2012 Mentor Graphics Corporation
All rights reserved.**

This document contains information that is proprietary to Mentor Graphics Corporation. The original recipient of this document may duplicate this document in whole or in part for internal business purposes only, provided that this entire notice appears in all copies. In duplicating any part of this document, the recipient agrees to make every reasonable effort to prevent the unauthorized use and distribution of the proprietary information.

This document is for information and instruction purposes. Mentor Graphics reserves the right to make changes in specifications and other information contained in this publication without prior notice, and the reader should, in all cases, consult Mentor Graphics to determine whether any changes have been made.

The terms and conditions governing the sale and licensing of Mentor Graphics products are set forth in written agreements between Mentor Graphics and its customers. No representation or other affirmation of fact contained in this publication shall be deemed to be a warranty or give rise to any liability of Mentor Graphics whatsoever.

MENTOR GRAPHICS MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS MATERIAL INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

MENTOR GRAPHICS SHALL NOT BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING BUT NOT LIMITED TO LOST PROFITS) ARISING OUT OF OR RELATED TO THIS PUBLICATION OR THE INFORMATION CONTAINED IN IT, EVEN IF MENTOR GRAPHICS CORPORATION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

RESTRICTED RIGHTS LEGEND 03/97

U.S. Government Restricted Rights. The SOFTWARE and documentation have been developed entirely at private expense and are commercial computer software provided with restricted rights. Use, duplication or disclosure by the U.S. Government or a U.S. Government subcontractor is subject to the restrictions set forth in the license agreement provided with the software pursuant to DFARS 227.7202-3(a) or as set forth in subparagraph (c)(1) and (2) of the Commercial Computer Software - Restricted Rights clause at FAR 52.227-19, as applicable.

Contractor/manufacturer is:

Mentor Graphics Corporation

8005 S.W. Boeckman Road, Wilsonville, Oregon 97070-7777.

Telephone: 503.685.7000

Toll-Free Telephone: 800.592.2210

Website: www.mentor.com

SupportNet: supportnet.mentor.com/

Send Feedback on Documentation: supportnet.mentor.com/doc_feedback_form

TRADEMARKS: The trademarks, logos and service marks ("Marks") used herein are the property of Mentor Graphics Corporation or other third parties. No one is permitted to use these Marks without the prior written consent of Mentor Graphics or the respective third-party owner. The use herein of a third-party Mark is not an attempt to indicate Mentor Graphics as a source of a product, but is intended to indicate a product from, or associated with, a particular third party. A current list of Mentor Graphics' trademarks may be viewed at: www.mentor.com/trademarks.

Table of Contents

Chapter 1	
ASCII File Format Specification	5
Introduction	5
Format Conventions	5
Structure of the ASCII File	6
Control Statements	6
Start of File	6
End-of-File	7
Font Information Definition	7
Drafting Item Definition	7
Schematic Decal Definition	12
PCB Decal Definition	17
Part Type Definition	23
End-User License Agreement	

Chapter 1

ASCII File Format Specification

Introduction

This specification defines the structure and syntax of the Parts Library ASCII export files.

The Parts Library ASCII file format provides a way for other CAD or CAE systems to import and export part and decal information to and from the PADS Parts Library. Using Parts Library ASCII format a user can access library information without accessing the internal databases or source code.

You can convert an entire library, including, part types, part decal descriptions, attributes and graphics into an ASCII file.

Note



The PADS 9.0 library format and PADS 9.0 ASCII format are not backwards compatible with previous library formats.

Format Conventions

The format of the ASCII file is important for correct interpretation by the Library Manager software. Use the conventions below when creating or modifying a parts library ASCII file:

- Text shown in bold and uppercase within this specification represents keywords and should appear in the ASCII file as it appears in the format statements. For example:

 SIGNAL
- Lowercase italic text represents variables. Definitions for variables and allowed ranges of values are given.
- The variable, *name*, represents an arbitrary alphanumeric text entry of a defined number of characters. Alphanumeric characters include all uppercase and lowercase letters, all numbers, and the special characters:
 `~#\$%^&()_+ = ; ' " [] ? / < > !
- Except for general attributes where uppercase and lowercase characters are both accepted, all other data in the file should be uppercase only.
- All rotations are given in positive fixed-point values, from 0 to 359.999 degrees. The finest precision recognized for rotations is 0.001 degree.
- Optional data is enclosed in brackets ([]).

Note: Including some optional data can make other optional data required.

- All line entries require a final carriage return (press **Enter**). This is not explicitly specified in the format definitions.
- All size and coordinate data are in units of mils (0.001 inch) or millimeters, depending on the units type (Imperial or Metric) of the item being defined. The finest precision recognized for Imperial units is 0.00001 inch or 0.01 mil. The finest precision recognized for metric units is 0.00001 mm.

Structure of the ASCII File

The Parts Library ASCII file has a different format for each of the four data types that can be exported or imported to and from a Library data type, unlike ASCII-format for PADS Logic and PADS Layout. Each file is dedicated to one data type and contains one or more records. The following four data types are available:

- Drafting Item
- Schematic Decal
- PCB Decal
- Part Type

Each file has a header line to specify the type of file, item type, and version number, followed by the item records and an end of file statement.

Control Statements

All control statements begin and end with an asterisk (*).

PADS-LIBRARY-LINE-ITEMS-V9	Start of Drafting Items file.
PADS-LIBRARY-SCH-DECALS-V9	Start of Schematic Decals file.
PADS-LIBRARY-PCB-DECALS-V9	Start of PCB Decals file.
PADS-LIBRARY-PART-TYPES-V9	Start of Part Types file.
END	End of file.

Start of File

The start-of-file control statement identifies the data that follows it as library ASCII data of the specified type. The start-of-file control statement must be included at the beginning of every library ASCII data file.

The following list shows the start-of-file control statement required for each type of file:

File Type	Control Statement
Drafting Items	*PADS-LIBRARY-LINE-ITEMS-V9*
Schematic Decals	*PADS-LIBRARY-SCH-DECALS-V9*
PCB Decals	*PADS-LIBRARY-PCB-DECALS-V9*
Part Types	*PADS-LIBRARY-PART-TYPES-V9*

End-of-File

The end-of-file statement is required at the end of a library ASCII file.

The control statement for the end-of-file command is:

END

Font Information Definition

Many text items require font information to be specified. The font information parameter is represented by the variable *fontinfo*, which is a quoted string with the font style followed by the font face name. The font style contains from one to three keywords to specify a combination of bold, italic or underline styles. The style must contain one keyword with the value “Regular” or “Bold” followed by the optional keywords “Italic” and/or “Underline.”

Examples:

```
Regular Arial
Bold,Italic,Underline Times New Roman
```

If the text item uses the default system or stroke font, the font information will be defined as follows:

```
Default Font
```

Drafting Item Definition

A drafting item can be a 2D Line or any of the following: 2D Line, Board Outline, Copper Shape, or Keepout.

Format

Each drafting item consists of the following parts:

- Drafting item header line

- Drafting item timestamp
- Drafting item pieces where each piece consists of:
 - Piece header line
 - Piece corner coordinates
 - ...
- Text item (optional, if the drafting item has been combined with text)
- ...

Header Format

The drafting item header lines consists of:

```
name linetype u x y pieces text
TIMESTAMP year.month.day.hour.minute.second
```

Where:

Format	Description
<i>name</i>	User-defined drafting item name Values can be up to 40 alphanumeric characters, no spaces.
<i>linetype</i>	Type of item. The following types are allowed: LINES, BOARD, COPPER, KEEPOUT
<i>u</i>	Coordinate units type Can be either Imperial (mils) or Metric (mm), expressed as a single letter: I or M.
<i>x, y</i>	Coordinates of the origin of the item relative to the system origin.
<i>pieces</i>	Number of pieces that make up the line item. Values range from 1 to 16,777,216 (PADS Layout) or from 1 to 4,096 (PADS Logic).
<i>text</i>	Number of text lines associated with the line item. Values range from 0 to 32,767.
<i>year.month.day.</i>	Date of creation of the decal
<i>hour.minute.second</i>	GMT Time of creation of the decal

Piece Entry Format

Each piece entry consists of a header line followed by a list of line segment or arc segment coordinates:

```

type numcoord width layer linestyle
x y (format for line segment)
x y ab aa ax1 ay1 ax2 ay2 (format for arcs)

```

Where:

Format	Description
<i>type</i>	Type of piece Valid values are OPEN, CLOSED, CIRCLE, COPOP, COPCLS, COPCIR, BRDCUT, BRDCCO, KPTCLS, KPTCIR, or TAG. (The TAG piece is used to combine coppers and copper cutouts inside the part decal into one item. It does not contain any coordinates and is used as either opening or close bracket. TAGs are also used to combine dimension pieces into a dimension drawing.)
<i>numcoord</i>	Number of coordinates defining the item For open items, this is the number of corners. For closed line items, it is the number of corners plus one (to return to the starting corner). Circles have two corners that define opposite ends of any diameter. For TAGs, 0 (zero).
<i>width</i>	Line width of all segments in the piece Values range from 0 to 0.25 inches, expressed in the selected units of the item. For TAGs, 0 (zero).
<i>layer</i>	Numeric layer number for use in PADS Layout. Values range from 0 to 250. A layer value of zero means all layers. The layer number is ignored in PADS Logic. For TAGs, the layer value specifies the TAG “type”: <ul style="list-style-type: none"> • 1 means an “opening bracket”, that is, start of the group. • 0 means a “closing bracket”, that is, end of the group.

<i>linestyle</i>	<p>System flag for type of line or keepout restrictions A value of 1 indicates a solid line; a value of 0 indicates an old Logic style dotted line. Negative values indicate line styles introduced in PADS 9.4 (for piece types OPEN, CLOSED, CIRCLE only):</p> <ul style="list-style-type: none"> -1 — solid -2 — dashed -3 — dotted -4 — dash dotted -5 — dash double-dotted <p>Positive values indicate Keepout Restrictions (for piece types KPTCLS, KPTCIR only):</p> <ul style="list-style-type: none"> Bit 0: (0x01) Placement Bit 1: (0x02) Trace and Copper Bit 2: (0x04) Copper Pour and Plane Area Bit 3: (0x08) Via and Jumper Bit 4: (0x10) Test Point Bit 5 : (0x20) Component Drill Bit 6: (0x40) Accordion <p>Since TAGs have no graphics, the linestyle value for TAGs (typically -1) is non-significant.</p>
------------------	--

For piece line segments:

Format	Description
x, y	Coordinates of each successive corner of the line item relative to the first point in the line item. For closed polygons, the first corner will be repeated.

For piece arc segments:

x y ab aa ax1 ay1 ax2 ay2

Format	Description
<i>x, y</i>	Beginning of arc
<i>ab</i>	Beginning angle of the arc in tenths of a degree
<i>aa</i>	Angle swept by the arc from the start to the end (in tenths of a degree)
<i>ax1, ay1</i>	Lower left point of rectangle around circle of arc
<i>ax2, ay2</i>	Upper right point of rectangle around circle of arc The points of the rectangle define the circle radius describing the arc and the location of the center point of the circle relative to the origin of the line item.
$ax2 - ax1 = ay2 - ay1$	Diameter of the circle of the arc
$(ax1 + ax2)/2, (ay1 + ay2)/2$	Coordinates of the arc center

Text Item Format

Each text entry consists of two lines as follows:

x y rotation layer height width mirror just drwnum field fontinfo

textstring

Format	Description
<i>x, y</i>	Coordinates of the text string location relative to the origin of the schematic
<i>rotation</i>	Orientation of the text in degrees
<i>layer</i>	Numeric layer number for use in PADS Layout. Values range from 0 to 250. A layer value of zero means all layers. The layer number is ignored in PADS Logic.
<i>height</i>	Height of text Values range from 0.01 to 1.0 inches, expressed in the selected units type.
<i>width</i>	Width of text in mils Values range from 0.001 to 0.050 inches, expressed in the selected units type.
<i>mirror</i>	Flag indicating text mirroring in PADS Layout. 0 = not mirrored, 1 = mirrored about the y-axis when viewed with zero orientation.

<i>just</i>	<p>Text string justification</p> <p>Value is the decimal equivalent of a bit string as follows:</p> <p>Bits 0 to 3 encode a four-bit value for horizontal justification with the following values: 0 = Left justified 1 = Center justified 2 = Right justified</p> <p>Bits 4 to 7 encode a four-bit value for vertical justification with the following values: 0 = Bottom justified 1 = Middle justified 2 = Top justified.</p> <p>Allowed values for justification are as follows: Bottom left = 0 Bottom center = 1 Bottom right = 2 Middle left = 16 Middle center = 17 Middle right = 18 Top left = 32 Top center = 33 Top right = 34</p>
<i>drwnum</i>	For auto-dimensioning text, this is the PCB drawing number. For other text, the value is zero.
<i>field</i>	A flag to indicate that the text item is a PADS Logic field label.
<i>fontinfo</i>	Font information string, as described in the Font Information Definition section.
<i>textstring</i>	Text string Up to 255 characters, spaces allowed.

Schematic Decal Definition

Schematic decal coordinates are always expressed in mils; there is no metric option.

Format

A schematic decal consists of the following parts:

- Schematic decal header lines
- Attribute label locations

- Piece definitions
- Text definitions
- Terminal definitions

Header Format

The schematic decal header consists of four lines.

First line format:

```
name x y pnhgt pnwid pnmhgt pnmwid labels pieces txt terminals vis
```

Second line format:

```
TIMESTAMP year.month.day.hour.minute.second
```

Third line format:

```
fontinfo
```

Fourth line format:

```
fontinfo
```

Where:

Format	Description
<i>name</i>	User-defined decal name Values can be up to 40 alphanumeric characters.
<i>x, y</i>	Coordinates of the symbol origin Expressed in mils.
<i>pnhgt</i>	Height of pin number text Values range from 10 to 1000.
<i>pnwid</i>	Line width of pin number text Values range from 1 to 50.
<i>pnmhgt</i>	Height of pin name text Values range from 10 to 1000.
<i>pnmwid</i>	Line width of pin name text Values range from 1 to 50.
<i>labels</i>	Number of attribute label locations defined for the decal
<i>pieces</i>	Total number of drawing pieces that make up the symbol Values range from 0 to 4096. A definition follows each piece.

<i>txt</i>	Number of free text strings within the decal
<i>terminals</i>	Total number of terminals in the symbol that make up each decal Values range from 0 to 2048.
<i>vis</i>	<p>Visibility flag Variable value associated with the visibility of part text. The minimum value is 0; the maximum value is 31. These values are determined in bits, and are as follows: For off-page symbols: BIT 0 = NETNAME INVISIBILITY For connector decals: BIT 0 = REF DES AND PIN NUMBER INVISIBILITY BIT 1 = PART TYPE INVISIBILITY For part decals: BIT 0 = REF DES INVISIBILITY BIT 1 = PART TYPE INVISIBILITY BIT 3 = PIN NAMES INVISIBILITY BIT 4 = PIN NUMBERS AND NAMES Note: A bit set indicates that the name is <i>not</i> visible.</p>
fontinfo	Font information for pin numbers (2 nd line)
fontinfo	Font information for pin names (3 rd line)

Attribute Labels Format

No matter what type of decal is being defined, there are at least two label definitions:

- Label for the reference designator location
- Label for the part type name location.

The use of the reference designator part type label varies, depending upon the type of decal. For example, an off page reference decal does not have a reference designator. Therefore, some decals might have unused label definitions, but at least two labels must be defined.

Refer to the previous section, Visibility Flag (*vis*), where bits 0 and 1 describe which items are displayed in the reference designator and part type labels for each type of decal.

If there are more than two labels, the additional labels are for part or connector attribute values.

```
x y rotation justification height width fontinfo
textstring
```

Where:

Format	Description
<i>x, y</i>	Coordinates of the text string location relative to the origin of the schematic
<i>rotation</i>	Orientation of the text in degrees (listed as 0 for 0 degree rotation and 900 for 90 degree rotation)
<i>justification</i>	<p>Justification of the attribute text string</p> <p>The value is a bit string as follows: Bit 0 = 0 Left justified or center (X direction) justified Bit 0 = 1 Right justified Bit 1 = 0 Bottom justified or middle (Y direction) justified Bit 1 = 1 Top justified Bit 2 = 0 Left or right justified Bit 2 = 1 Center justified Bit 3 = 0 Bottom or top justified Bit 3 = 1 Middle justified.</p> <p>When attribute text is rotated the definitions for bits 0 and 1 are interchanged. Allowed values for unrotated attribute text are as follows: bottom left = 0 bottom right = 1 bottom center = 4 top left = 2 top right = 3 top center = 6 middle left = 8 middle right = 9 middle center = 12</p> <p>Allowed values for rotated attribute text are as follows: bottom left = 0 bottom right = 2 bottom center = 4 top left = 1 top right = 3 top center = 5 middle left = 8 middle right = 10 middle center = 12</p>
<i>height</i>	Height of text Values range from 10 to 1000 mils.
<i>width</i>	Width of text in mils Values range from 1 to 50 mils.

<i>fontinfo</i>	Font information for attribute label text
<i>textstring</i>	Name of the attribute whose location is being defined The first two labels always have attribute names REF-DES and PARTTYPE. Subsequent labels may have a specific name such as "PART DESCRIPTION" or may have an asterisk (*) indicating that this location can be used for any attribute. Attribute names can be up to 255 alphanumeric characters long.

Entry Format

The schematic decal piece format is identical to the "Drafting Item Format" with the following differences:

- All coordinate values are expressed in mils
- The piece type field *type* can only have the values OPEN, CLOSED, CIRCLE, and COPCLS.

Terminal Format

Each terminal is described in two lines:

```
Tx y rtn xym pnx pny prtn pnjust pnmx pnmy pnmrtn pnmjust pindecal
Pplx ply plrtn pljust nlx nly nlrtn nljust pflags
```

Where:

A terminal definition line starts with the letter "T" and the second line starts with the letter "P".

Format	Description
<i>x, y</i>	Coordinates of the terminal location relative to the decal origin
<i>rtn</i>	Terminal rotation in degrees Value is 0 or 90.
<i>xym</i>	Terminal mirror flags Values are: 0 = no mirror 1 = X mirror 2 = Y mirror 3 = X and Y mirror
<i>pnx, pny</i>	X Y location of the pin number relative to the terminal
<i>prtn</i>	Pin number rotation in degrees Valid value is 0 or 90.

<i>pnjust</i>	Pin number justification See <i>justification</i> definition for Free Text items.
<i>pnmx, pnmy</i>	X Y location of the pin name relative to the terminal
<i>pnmrtn</i>	Pin name rotation in degrees Valid value is 0 or 90.
<i>pnmjust</i>	Pin name justification See <i>justification</i> definition for Free Text items.
<i>pindecals</i>	Name of the pin decal
<i>plx, ply</i>	X Y location of the pin properties label relative to the terminal
<i>plrtn</i>	Pin properties label rotation in degrees Valid value is 0 or 90.
<i>pljust</i>	Pin properties label justification See JUSTIFICATION definition for Free Text items.
<i>nlx, nly</i>	X Y location of the netname label relative to the terminal
<i>nlrtn</i>	Netname label rotation in degrees Valid value is 0 or 90.
<i>nljust</i>	Netname label justification See <i>justification</i> definition for Free Text items.
<i>pflags</i>	Defines whether the pin properties or netname label positions are valid for this terminal. If not valid, the positions are taken from the corresponding label positions in the pin decal associated with the terminal. A clear flag indicates the label is valid, a set flag indicates the label position in the terminal is to be ignored. The flags are: Bit 6Pin properties label position invalid Bit 7Netname label position invalid

PCB Decal Definition

Format

A PCB decal consists of the following parts:

- Header line
- Decal attributes
- Attribute label locations
- Piece definitions
- Text definitions

- Terminal definitions
- Pad-stack definitions
- Maximum layers designation

Header Format

The PCB decal header lines consists of:

```
name u x y attrs labels pieces txt terminals stacks maxlayers
TIMESTAMP year.month.day.hour.minute.second
```

Where:

Format	Description
<i>name</i>	User-defined decal name Values can be up to 40 alphanumeric characters.
<i>u</i>	Coordinate units type Can be either Imperial (mils) or Metric (mm), expressed as a single letter: I or M.
<i>x, y</i>	Coordinates of the symbol origin Expressed in mils.
<i>attrs</i>	Number of attributes defined for the decal.
<i>labels</i>	Number of attribute label locations defined for the decal.
<i>pieces</i>	Total number of drawing pieces that make up the symbol Values range from 0 to 16,777,216. A definition follows each piece.
<i>txt</i>	Number of free text strings within the decal.
<i>terminals</i>	Total number of terminals in the symbol that make up each decal Values range from 0 to 32,767.
<i>stacks</i>	Number of different pad stack definitions available to share between the terminals.
<i>maxlayers</i>	Parameter indicating a maximum (extended) layer mode 0 = standard mode, 1 = maxlayers mode

Attribute Format

The attributes format is a list of name-value pairs in the following format:

```
"attrname" attrval
```

Where:

Format	Description
<i>attrname</i>	Attribute name Text string from 1 to 255 characters (uppercase or lowercase) enclosed in quotation marks because it may contain embedded spaces.
<i>attrval</i>	Attribute value Text string from 0 to 2,047 characters terminated by the end of the line.

Attribute Labels Format

Each attribute label consists of two lines as follows:

x y rotation mirror height width layer just flags fontinfo textstring

Where:

Format	Description
<i>x, y</i>	Coordinates of the text string location relative to the origin of the schematic
<i>rotation</i>	Orientation of the text in degrees
<i>mirror</i>	Flag indicating text mirroring in PADS Layout. 0 = not mirrored, 1 = mirrored about the y-axis when viewed with zero orientation.
<i>height</i>	Height of text Values range from 0.01 to 1.0 inches, expressed in the selected units type.
<i>width</i>	Width of text in mils Values range from 0.001 to 0.050 inches, expressed in the selected units type.
<i>layer</i>	Numeric layer number for use in PADS Layout. Values range from 0 to 250. A layer value of zero means all layers.

<i>just</i>	<p>Justification of the attribute text string Value is the decimal equivalent of a bit string as follows: Bits 0 to 3 encode a four-bit value for horizontal justification with the following values: 0 = Left justified 1 = Center justified 2 = Right justified Bits 4 to 7 encode a four-bit value for vertical justification with the following values: 0 = Bottom justified 1 = Middle justified 2 = Top justified. Allowed values for 0 and 90 degree rotation are as follows: Bottom left = 0 Bottom center = 1 Bottom right = 2 Middle left = 16 Middle center = 17 Middle right = 18 Top left = 32 Top center = 33 Top right = 34</p>
<i>flags</i>	<p>Type of label, name/value visibility, and right reading status Values are the decimal equivalent of an eight-bit binary value with bit fields defined as follows: Bits 0 to 2 contain a numeric value to define the label type: 0 = General attribute label 1 = Reference designator 2 = Part type Bit 3 set indicates the label is right reading and displayed at the nearest 90-degree orientation. Bit 4 set indicates label is right reading but display is not constrained to a 90-degree orientation. Bit 5 set indicates that the attribute value is displayed. Bit 6 set indicates that the short version of the attribute name is displayed. Bit 7 set indicates that the full structured attribute name is displayed.</p>
<i>fontinfo</i>	<p>Font information for the attribute label text.</p>
<i>textstring</i>	<p>Name of the attribute whose location is being defined The reserved names "REF-DES" and "PARTTYPE" refer to reference designator and part type labels Up to 255 characters, spaces allowed.</p>

Piece Definition Format

The PCB decal piece format is identical to the "Drafting Item Format" in this document, with the following differences:

piecetype cannot have the values BRDCUT or BRDCCO.

piecetype can have additional values COPCUT, COPCCO.

Terminal Format

T*x1 y1 x2 y2 pin*

A terminal definition line starts with the letter "T".

Where:

Format	Description
x1, y1	Location of the terminal relative to the decal origin
x2, y2	Location of the terminal pin number label relative to the decal origin.
pin	Pin number

Pad Stack Format

Each pad stack definition consists of a header line followed by a line for each pad stack layer.

Header line:

PAD *pin numlayers plated drill [drlori drllen drloff]*

Each layer line can have one of the following formats:

layer width shape
 (Round normal pad or round and square anti-pads)

layer width shape corner
 (square normal pads)

layer width shape intd
 (Annular pads)

layer width shape ori length offset
 (Oval pads)

layer width shape corner ori length offset
 (rectangular pads)

layer width shape ori intd spkwid numspk

(Thermal pads)

Format	Description
PAD	Keyword
<i>pin</i>	Pin number to which the pad stack applies If the pin number is zero, then the pad stack applies to all pins that do not have a specific pad stack.
<i>numlayers</i>	Number of pad stack layer lines that follow the header line.
<i>plated</i>	Either the keyword P for plated drill hole or N for nonplated drill hole.
<i>drill</i>	Drill diameter for the pad Value of zero indicates that there is no drill hole.
<i>drlori</i>	Orientation of a slotted hole Valid values range from 0 to 179.999 degrees.
<i>drllen</i>	Slotted hole length
<i>drloff</i>	Slot offset
<i>layer</i>	Layer number Valid values range from 1 to 250. or Layer code of the pin Layer codes are defined as follows: -2 is the top layer -1 is all inner layers -0 is the bottom layer
<i>width</i>	Width of a finger pad or the external diameter of all other pad shapes
<i>shape</i>	Shape can be one of the following values: R—round pad S—square pad RA—round anti-pad SA—square anti-pad A—annular pad OF—oval finger pad RF—rectangular finger pad RT—round thermal pad ST—square thermal pad
<i>corner</i>	This field stores the numerical “corner radius” value and is used to support pads with rounded and chamfered corners. It only exists for square (S) pads and rectangular finger (RF) pad shapes. Zero value is used for 90 degree (non-rounded) pad corners; a positive value is used for pads with rounded corners; a negative value is used for pads with chamfered corners.

<i>intd</i>	Internal diameter of an annular or thermal pad
<i>ori</i>	Orientation of a finger pad or the thermal spokes Valid values range from 0 to 179.999 degrees.
<i>length</i>	Finger pad length
<i>offset</i>	Finger pad offset
<i>spkwid</i>	Thermal pad spoke width
<i>numspk</i>	Number of thermal pad spokes

Part Type Definition

Format

Each part type entry consists of the following parts:

- Part type header lines
- Attribute information (optional)
- Gate information (optional)
- Signal pin information (optional)
- Alphanumeric pins (optional)

Header Format

The part type header lines consist of:

```
name pcbdecals u logfam attrs gates sigpins pinmap flag  

TIMESTAMP year.month.day.hour.minute.second
```

Where:

Format	Description
<i>name</i>	Part type name Values can be up to 40 alphanumeric characters.
<i>pcbdecals</i>	List of alternate PCB decal names, separated by colons <i>name:name:...</i> A PCB decal name can be up to 40 alphanumeric characters. The list may have a maximum of 16 alternates.
<i>u</i>	Coordinate units type Can be either Imperial (mils) or Metric (mm), expressed as a single letter: I or M.
<i>logfam</i>	Logic Family type Values can be any three alphanumeric characters.
<i>attrs</i>	Number of part attributes defined
<i>gates</i>	Number of gates in the part Values range from 0 to 702.
<i>sigpins</i>	Number of standard signals predefined in the part, which is typically, but not exclusively, power and ground. Values range from 0 to 1024.
<i>pinmap</i>	Number of alphanumeric pins defined in the part pin mapping. Values range from 0 to 32767.
<i>flag</i>	Decimal value of an eight-bit binary bit string: Bits 0–1 taken as a two-bit number define the type of part: 0 = normal part 1 = connector 2 = off-page reference. Bit 2 is a flag that is set for a non-ECO registered part type. Bit 5 is a flag that is set for a flip chip part (used in advanced packaging toolkit) Bit 6 is a flag that is set for a die part (used in advanced packaging toolkit) Bit 7 is a flag that is set to indicate an incomplete or inconsistent part type.

Attribute Format

The attributes format is a list of name-value pairs in the following format:

```
"attrname" attrval
```

Where:

Format	Description
<i>attrname</i>	Attribute name Text string from 1 to 255 characters (uppercase or lowercase) enclosed in quotation marks because it may contain embedded spaces.
<i>attrval</i>	Attribute value Text string from 0 to 2,047 characters terminated by the end of the line.

Gate Format

The gate format consists of three parts:

- Header line, which describes the gate type and number of pins in the gate.
- List of alternate gate decals
- List of the actual pins within the gate.

The format for gates of normal parts:

```
GATE decals pins gateswap  

decalname  

pinnumber pinswap pintype pinname
```

For connector part types:

```
CONN decals pins  

decalname pintype  

pinnumber pinswap
```

For Off-page symbol part type:

```
OFF decals  

decalname pintype
```

For Ground symbol part type:

```
GND decals  

decalname pintype netname
```

For Power symbol part type:

PWR *decals*
decalsname pintype netname

Where:

Format	Description
<i>decals</i>	Number of alternate gate, connector, off-page, ground or power decal names defined.
<i>pins</i>	Number of pins in the gate Valid values range from 0 to 32767.
<i>gateswap</i>	Gate swap type It is assumed that gates with the same swap type are electrically equivalent. A gate with a swap type of 0 is not swappable.
<i>decalsname</i>	Gate, connector, off-page, ground or power decal name A decal name may have up to 40 alphanumeric characters. Gates can have a maximum of four alternates. Connector, off-page, ground or power parts may have a maximum of 127 alternates.
<i>pintype</i>	For Connectors, off-page, ground or power decals this specifies the pin type for the symbol with the same values as described for gate pins below.
<i>netname</i>	For Power and Ground decals only, this specifies the default net name that is associated with the symbol.
<i>pinnumber</i>	Electrical pin number of the pin in the gate or connector. Alphanumeric pin number up to 7 characters in length.
<i>pinswap</i>	Swap type of the pin It is assumed that pins with the same swap type are electrically equivalent. A pin with a swap type of 0 is not swappable.
<i>pintype</i>	Pin electrical type. Values are: S—source pin B—bidirectional pin C—open collector pin O—or-tieable source pin T—tristate pin L—load pin Z—terminator pin P—power pin G—ground pin U—undefined pin

<i>pinname</i>	Optional Electrical pin name of the pin in the gate Pin names may not be duplicated. A pin name can be up to 40 alphanumeric characters. <i>No</i> spaces are allowed in a pin name.
----------------	--

Signal Pin Format

This section describes pins for standard signals for parts. Typically, standard signals are power or ground, but any signal name may be used. For each entry, the format is as follows:

SIGPIN *pinnumber netname*

Where:

Format	Description
SIGPIN	Keyword
pinnumber	Pin number of the signal pin Valid values are alphanumeric pin numbers up to 7 characters in length.
netname	Net name of the standard signal Net names may be up to 47 alphanumeric characters.

Pin Mapping Format

This section is used only for part types with alphanumeric pins that have PCB decals assigned with only strictly numeric pin numbers. The Pin Mapping is a list of alphanumeric pin numbers assigned to the PCB decal pins in decal pin number order, i.e. the first alphanumeric corresponds to decal pin 1, the 2nd to pin 2 etc. If a pin mapping is defined, an alphanumeric pin must be defined for each decal pin.

The format is:

pin_1 pin_2 pin_3 ... pin_n

Where:

Format	Description
pin_n	Alphanumeric pin number corresponding to decal pin n.

End-User License Agreement

The latest version of the End-User License Agreement is available on-line at:
www.mentor.com/eula

IMPORTANT INFORMATION

USE OF ALL SOFTWARE IS SUBJECT TO LICENSE RESTRICTIONS. CAREFULLY READ THIS LICENSE AGREEMENT BEFORE USING THE PRODUCTS. USE OF SOFTWARE INDICATES CUSTOMER'S COMPLETE AND UNCONDITIONAL ACCEPTANCE OF THE TERMS AND CONDITIONS SET FORTH IN THIS AGREEMENT. ANY ADDITIONAL OR DIFFERENT PURCHASE ORDER TERMS AND CONDITIONS SHALL NOT APPLY.

END-USER LICENSE AGREEMENT ("Agreement")

This is a legal agreement concerning the use of Software (as defined in Section 2) and hardware (collectively "Products") between the company acquiring the Products ("Customer"), and the Mentor Graphics entity that issued the corresponding quotation or, if no quotation was issued, the applicable local Mentor Graphics entity ("Mentor Graphics"). Except for license agreements related to the subject matter of this license agreement which are physically signed by Customer and an authorized representative of Mentor Graphics, this Agreement and the applicable quotation contain the parties' entire understanding relating to the subject matter and supersede all prior or contemporaneous agreements. If Customer does not agree to these terms and conditions, promptly return or, in the case of Software received electronically, certify destruction of Software and all accompanying items within five days after receipt of Software and receive a full refund of any license fee paid.

1. ORDERS, FEES AND PAYMENT.

- 1.1. To the extent Customer (or if agreed by Mentor Graphics, Customer's appointed third party buying agent) places and Mentor Graphics accepts purchase orders pursuant to this Agreement ("Order(s)"), each Order will constitute a contract between Customer and Mentor Graphics, which shall be governed solely and exclusively by the terms and conditions of this Agreement, any applicable addenda and the applicable quotation, whether or not these documents are referenced on the Order. Any additional or conflicting terms and conditions appearing on an Order will not be effective unless agreed in writing by an authorized representative of Customer and Mentor Graphics.
- 1.2. Amounts invoiced will be paid, in the currency specified on the applicable invoice, within 30 days from the date of such invoice. Any past due invoices will be subject to the imposition of interest charges in the amount of one and one-half percent per month or the applicable legal rate currently in effect, whichever is lower. Prices do not include freight, insurance, customs duties, taxes or other similar charges, which Mentor Graphics will state separately in the applicable invoice(s). Unless timely provided with a valid certificate of exemption or other evidence that items are not taxable, Mentor Graphics will invoice Customer for all applicable taxes including, but not limited to, VAT, GST, sales tax and service tax. Customer will make all payments free and clear of, and without reduction for, any withholding or other taxes; any such taxes imposed on payments by Customer hereunder will be Customer's sole responsibility. If Customer appoints a third party to place purchase orders and/or make payments on Customer's behalf, Customer shall be liable for payment under Orders placed by such third party in the event of default.
- 1.3. All Products are delivered FCA factory (Incoterms 2000), freight prepaid and invoiced to Customer, except Software delivered electronically, which shall be deemed delivered when made available to Customer for download. Mentor Graphics retains a security interest in all Products delivered under this Agreement, to secure payment of the purchase price of such Products, and Customer agrees to sign any documents that Mentor Graphics determines to be necessary or convenient for use in filing or perfecting such security interest. Mentor Graphics' delivery of Software by electronic means is subject to Customer's provision of both a primary and an alternate e-mail address.

2. **GRANT OF LICENSE.** The software installed, downloaded, or otherwise acquired by Customer under this Agreement, including any updates, modifications, revisions, copies, documentation and design data ("Software") are copyrighted, trade secret and confidential information of Mentor Graphics or its licensors, who maintain exclusive title to all Software and retain all rights not expressly granted by this Agreement. Mentor Graphics grants to Customer, subject to payment of applicable license fees, a nontransferable, nonexclusive license to use Software solely: (a) in machine-readable, object-code form (except as provided in Subsection 5.2); (b) for Customer's internal business purposes; (c) for the term of the license; and (d) on the computer hardware and at the site authorized by Mentor Graphics. A site is restricted to a one-half mile (800 meter) radius. Customer may have Software temporarily used by an employee for telecommuting purposes from locations other than a Customer office, such as the employee's residence, an airport or hotel, provided that such employee's primary place of employment is the site where the Software is authorized for use. Mentor Graphics' standard policies and programs, which vary depending on Software, license fees paid or services purchased, apply to the following: (a) relocation of Software; (b) use of Software, which may be limited, for example, to execution of a single session by a single user on the authorized hardware or for a restricted period of time (such limitations may be technically implemented through the use of authorization codes or similar devices); and (c) support services provided, including eligibility to receive telephone support, updates, modifications, and revisions. For the avoidance of doubt, if Customer requests any change or enhancement to Software, whether in the course of receiving support or consulting services, evaluating Software, performing beta testing or otherwise, any inventions, product

improvements, modifications or developments made by Mentor Graphics (at Mentor Graphics' sole discretion) will be the exclusive property of Mentor Graphics.

3. **ESC SOFTWARE.** If Customer purchases a license to use development or prototyping tools of Mentor Graphics' Embedded Software Channel ("ESC"), Mentor Graphics grants to Customer a nontransferable, nonexclusive license to reproduce and distribute executable files created using ESC compilers, including the ESC run-time libraries distributed with ESC C and C++ compiler Software that are linked into a composite program as an integral part of Customer's compiled computer program, provided that Customer distributes these files only in conjunction with Customer's compiled computer program. Mentor Graphics does NOT grant Customer any right to duplicate, incorporate or embed copies of Mentor Graphics' real-time operating systems or other embedded software products into Customer's products or applications without first signing or otherwise agreeing to a separate agreement with Mentor Graphics for such purpose.
4. **BETA CODE.**
 - 4.1. Portions or all of certain Software may contain code for experimental testing and evaluation ("Beta Code"), which may not be used without Mentor Graphics' explicit authorization. Upon Mentor Graphics' authorization, Mentor Graphics grants to Customer a temporary, nontransferable, nonexclusive license for experimental use to test and evaluate the Beta Code without charge for a limited period of time specified by Mentor Graphics. This grant and Customer's use of the Beta Code shall not be construed as marketing or offering to sell a license to the Beta Code, which Mentor Graphics may choose not to release commercially in any form.
 - 4.2. If Mentor Graphics authorizes Customer to use the Beta Code, Customer agrees to evaluate and test the Beta Code under normal conditions as directed by Mentor Graphics. Customer will contact Mentor Graphics periodically during Customer's use of the Beta Code to discuss any malfunctions or suggested improvements. Upon completion of Customer's evaluation and testing, Customer will send to Mentor Graphics a written evaluation of the Beta Code, including its strengths, weaknesses and recommended improvements.
 - 4.3. Customer agrees to maintain Beta Code in confidence and shall restrict access to the Beta Code, including the methods and concepts utilized therein, solely to those employees and Customer location(s) authorized by Mentor Graphics to perform beta testing. Customer agrees that any written evaluations and all inventions, product improvements, modifications or developments that Mentor Graphics conceived or made during or subsequent to this Agreement, including those based partly or wholly on Customer's feedback, will be the exclusive property of Mentor Graphics. Mentor Graphics will have exclusive rights, title and interest in all such property. The provisions of this Subsection 4.3 shall survive termination of this Agreement.
5. **RESTRICTIONS ON USE.**
 - 5.1. Customer may copy Software only as reasonably necessary to support the authorized use. Each copy must include all notices and legends embedded in Software and affixed to its medium and container as received from Mentor Graphics. All copies shall remain the property of Mentor Graphics or its licensors. Customer shall maintain a record of the number and primary location of all copies of Software, including copies merged with other software, and shall make those records available to Mentor Graphics upon request. Customer shall not make Products available in any form to any person other than Customer's employees and on-site contractors, excluding Mentor Graphics competitors, whose job performance requires access and who are under obligations of confidentiality. Customer shall take appropriate action to protect the confidentiality of Products and ensure that any person permitted access does not disclose or use it except as permitted by this Agreement. Customer shall give Mentor Graphics written notice of any unauthorized disclosure or use of the Products as soon as Customer learns or becomes aware of such unauthorized disclosure or use. Except as otherwise permitted for purposes of interoperability as specified by applicable and mandatory local law, Customer shall not reverse-assemble, reverse-compile, reverse-engineer or in any way derive any source code from Software. Log files, data files, rule files and script files generated by or for the Software (collectively "Files"), including without limitation files containing Standard Verification Rule Format ("SVRF") and Tcl Verification Format ("TVF") which are Mentor Graphics' proprietary syntaxes for expressing process rules, constitute or include confidential information of Mentor Graphics. Customer may share Files with third parties, excluding Mentor Graphics competitors, provided that the confidentiality of such Files is protected by written agreement at least as well as Customer protects other information of a similar nature or importance, but in any case with at least reasonable care. Customer may use Files containing SVRF or TVF only with Mentor Graphics products. Under no circumstances shall Customer use Software or Files or allow their use for the purpose of developing, enhancing or marketing any product that is in any way competitive with Software, or disclose to any third party the results of, or information pertaining to, any benchmark.
 - 5.2. If any Software or portions thereof are provided in source code form, Customer will use the source code only to correct software errors and enhance or modify the Software for the authorized use. Customer shall not disclose or permit disclosure of source code, in whole or in part, including any of its methods or concepts, to anyone except Customer's employees or contractors, excluding Mentor Graphics competitors, with a need to know. Customer shall not copy or compile source code in any manner except to support this authorized use.
 - 5.3. Customer may not assign this Agreement or the rights and duties under it, or relocate, sublicense or otherwise transfer the Products, whether by operation of law or otherwise ("Attempted Transfer"), without Mentor Graphics' prior written consent and payment of Mentor Graphics' then-current applicable relocation and/or transfer fees. Any Attempted Transfer without Mentor Graphics' prior written consent shall be a material breach of this Agreement and may, at Mentor Graphics' option, result in the immediate termination of the Agreement and/or the licenses granted under this Agreement. The terms of this Agreement, including without limitation the licensing and assignment provisions, shall be binding upon Customer's permitted successors in interest and assigns.

5.4. The provisions of this Section 5 shall survive the termination of this Agreement.

6. **SUPPORT SERVICES.** To the extent Customer purchases support services, Mentor Graphics will provide Customer updates and technical support for the Products, at the Customer site(s) for which support is purchased, in accordance with Mentor Graphics' then current End-User Support Terms located at <http://supportnet.mentor.com/about/legal/>.
7. **AUTOMATIC CHECK FOR UPDATES; PRIVACY.** Technological measures in Software may communicate with servers of Mentor Graphics or its contractors for the purpose of checking for and notifying the user of updates and to ensure that the Software in use is licensed in compliance with this Agreement. Mentor Graphics will not collect any personally identifiable data in this process and will not disclose any data collected to any third party without the prior written consent of Customer, except to Mentor Graphics' outside attorneys or as may be required by a court of competent jurisdiction.
8. **LIMITED WARRANTY.**
 - 8.1. Mentor Graphics warrants that during the warranty period its standard, generally supported Products, when properly installed, will substantially conform to the functional specifications set forth in the applicable user manual. Mentor Graphics does not warrant that Products will meet Customer's requirements or that operation of Products will be uninterrupted or error free. The warranty period is 90 days starting on the 15th day after delivery or upon installation, whichever first occurs. Customer must notify Mentor Graphics in writing of any nonconformity within the warranty period. For the avoidance of doubt, this warranty applies only to the initial shipment of Software under an Order and does not renew or reset, for example, with the delivery of (a) Software updates or (b) authorization codes or alternate Software under a transaction involving Software re-mix. This warranty shall not be valid if Products have been subject to misuse, unauthorized modification or improper installation. MENTOR GRAPHICS' ENTIRE LIABILITY AND CUSTOMER'S EXCLUSIVE REMEDY SHALL BE, AT MENTOR GRAPHICS' OPTION, EITHER (A) REFUND OF THE PRICE PAID UPON RETURN OF THE PRODUCTS TO MENTOR GRAPHICS OR (B) MODIFICATION OR REPLACEMENT OF THE PRODUCTS THAT DO NOT MEET THIS LIMITED WARRANTY, PROVIDED CUSTOMER HAS OTHERWISE COMPLIED WITH THIS AGREEMENT. MENTOR GRAPHICS MAKES NO WARRANTIES WITH RESPECT TO: (A) SERVICES; (B) PRODUCTS PROVIDED AT NO CHARGE; OR (C) BETA CODE; ALL OF WHICH ARE PROVIDED "AS IS."
 - 8.2. THE WARRANTIES SET FORTH IN THIS SECTION 8 ARE EXCLUSIVE. NEITHER MENTOR GRAPHICS NOR ITS LICENSORS MAKE ANY OTHER WARRANTIES EXPRESS, IMPLIED OR STATUTORY, WITH RESPECT TO PRODUCTS PROVIDED UNDER THIS AGREEMENT. MENTOR GRAPHICS AND ITS LICENSORS SPECIFICALLY DISCLAIM ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF INTELLECTUAL PROPERTY.
9. **LIMITATION OF LIABILITY.** EXCEPT WHERE THIS EXCLUSION OR RESTRICTION OF LIABILITY WOULD BE VOID OR INEFFECTIVE UNDER APPLICABLE LAW, IN NO EVENT SHALL MENTOR GRAPHICS OR ITS LICENSORS BE LIABLE FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING LOST PROFITS OR SAVINGS) WHETHER BASED ON CONTRACT, TORT OR ANY OTHER LEGAL THEORY, EVEN IF MENTOR GRAPHICS OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL MENTOR GRAPHICS' OR ITS LICENSORS' LIABILITY UNDER THIS AGREEMENT EXCEED THE AMOUNT RECEIVED FROM CUSTOMER FOR THE HARDWARE, SOFTWARE LICENSE OR SERVICE GIVING RISE TO THE CLAIM. IN THE CASE WHERE NO AMOUNT WAS PAID, MENTOR GRAPHICS AND ITS LICENSORS SHALL HAVE NO LIABILITY FOR ANY DAMAGES WHATSOEVER. THE PROVISIONS OF THIS SECTION 9 SHALL SURVIVE THE TERMINATION OF THIS AGREEMENT.
10. **HAZARDOUS APPLICATIONS.** CUSTOMER ACKNOWLEDGES IT IS SOLELY RESPONSIBLE FOR TESTING ITS PRODUCTS USED IN APPLICATIONS WHERE THE FAILURE OR INACCURACY OF ITS PRODUCTS MIGHT RESULT IN DEATH OR PERSONAL INJURY ("HAZARDOUS APPLICATIONS"). NEITHER MENTOR GRAPHICS NOR ITS LICENSORS SHALL BE LIABLE FOR ANY DAMAGES RESULTING FROM OR IN CONNECTION WITH THE USE OF MENTOR GRAPHICS PRODUCTS IN OR FOR HAZARDOUS APPLICATIONS. THE PROVISIONS OF THIS SECTION 10 SHALL SURVIVE THE TERMINATION OF THIS AGREEMENT.
11. **INDEMNIFICATION.** CUSTOMER AGREES TO INDEMNIFY AND HOLD HARMLESS MENTOR GRAPHICS AND ITS LICENSORS FROM ANY CLAIMS, LOSS, COST, DAMAGE, EXPENSE OR LIABILITY, INCLUDING ATTORNEYS' FEES, ARISING OUT OF OR IN CONNECTION WITH THE USE OF PRODUCTS AS DESCRIBED IN SECTION 10. THE PROVISIONS OF THIS SECTION 11 SHALL SURVIVE THE TERMINATION OF THIS AGREEMENT.
12. **INFRINGEMENT.**
 - 12.1. Mentor Graphics will defend or settle, at its option and expense, any action brought against Customer in the United States, Canada, Japan, or member state of the European Union which alleges that any standard, generally supported Product acquired by Customer hereunder infringes a patent or copyright or misappropriates a trade secret in such jurisdiction. Mentor Graphics will pay costs and damages finally awarded against Customer that are attributable to the action. Customer understands and agrees that as conditions to Mentor Graphics' obligations under this section Customer must: (a) notify Mentor Graphics promptly in writing of the action; (b) provide Mentor Graphics all reasonable information and assistance to settle or defend the action; and (c) grant Mentor Graphics sole authority and control of the defense or settlement of the action.

- 12.2. If a claim is made under Subsection 12.1 Mentor Graphics may, at its option and expense, (a) replace or modify the Product so that it becomes noninfringing; (b) procure for Customer the right to continue using the Product; or (c) require the return of the Product and refund to Customer any purchase price or license fee paid, less a reasonable allowance for use.
- 12.3. Mentor Graphics has no liability to Customer if the action is based upon: (a) the combination of Software or hardware with any product not furnished by Mentor Graphics; (b) the modification of the Product other than by Mentor Graphics; (c) the use of other than a current unaltered release of Software; (d) the use of the Product as part of an infringing process; (e) a product that Customer makes, uses, or sells; (f) any Beta Code or Product provided at no charge; (g) any software provided by Mentor Graphics' licensors who do not provide such indemnification to Mentor Graphics' customers; or (h) infringement by Customer that is deemed willful. In the case of (h), Customer shall reimburse Mentor Graphics for its reasonable attorney fees and other costs related to the action.
- 12.4. THIS SECTION 12 IS SUBJECT TO SECTION 9 ABOVE AND STATES THE ENTIRE LIABILITY OF MENTOR GRAPHICS AND ITS LICENSORS FOR DEFENSE, SETTLEMENT AND DAMAGES, AND CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, WITH RESPECT TO ANY ALLEGED PATENT OR COPYRIGHT INFRINGEMENT OR TRADE SECRET MISAPPROPRIATION BY ANY PRODUCT PROVIDED UNDER THIS AGREEMENT.
13. **TERMINATION AND EFFECT OF TERMINATION.** If a Software license was provided for limited term use, such license will automatically terminate at the end of the authorized term.
- 13.1. Mentor Graphics may terminate this Agreement and/or any license granted under this Agreement immediately upon written notice if Customer: (a) exceeds the scope of the license or otherwise fails to comply with the licensing or confidentiality provisions of this Agreement, or (b) becomes insolvent, files a bankruptcy petition, institutes proceedings for liquidation or winding up or enters into an agreement to assign its assets for the benefit of creditors. For any other material breach of any provision of this Agreement, Mentor Graphics may terminate this Agreement and/or any license granted under this Agreement upon 30 days written notice if Customer fails to cure the breach within the 30 day notice period. Termination of this Agreement or any license granted hereunder will not affect Customer's obligation to pay for Products shipped or licenses granted prior to the termination, which amounts shall be payable immediately upon the date of termination.
- 13.2. Upon termination of this Agreement, the rights and obligations of the parties shall cease except as expressly set forth in this Agreement. Upon termination, Customer shall ensure that all use of the affected Products ceases, and shall return hardware and either return to Mentor Graphics or destroy Software in Customer's possession, including all copies and documentation, and certify in writing to Mentor Graphics within ten business days of the termination date that Customer no longer possesses any of the affected Products or copies of Software in any form.
14. **EXPORT.** The Products provided hereunder are subject to regulation by local laws and United States government agencies, which prohibit export or diversion of certain products and information about the products to certain countries and certain persons. Customer agrees that it will not export Products in any manner without first obtaining all necessary approval from appropriate local and United States government agencies.
15. **U.S. GOVERNMENT LICENSE RIGHTS.** Software was developed entirely at private expense. All Software is commercial computer software within the meaning of the applicable acquisition regulations. Accordingly, pursuant to US FAR 48 CFR 12.212 and DFAR 48 CFR 227.7202, use, duplication and disclosure of the Software by or for the U.S. Government or a U.S. Government subcontractor is subject solely to the terms and conditions set forth in this Agreement, except for provisions which are contrary to applicable mandatory federal laws.
16. **THIRD PARTY BENEFICIARY.** Mentor Graphics Corporation, Mentor Graphics (Ireland) Limited, Microsoft Corporation and other licensors may be third party beneficiaries of this Agreement with the right to enforce the obligations set forth herein.
17. **REVIEW OF LICENSE USAGE.** Customer will monitor the access to and use of Software. With prior written notice and during Customer's normal business hours, Mentor Graphics may engage an internationally recognized accounting firm to review Customer's software monitoring system and records deemed relevant by the internationally recognized accounting firm to confirm Customer's compliance with the terms of this Agreement or U.S. or other local export laws. Such review may include FLEXlm or FLEXnet (or successor product) report log files that Customer shall capture and provide at Mentor Graphics' request. Customer shall make records available in electronic format and shall fully cooperate with data gathering to support the license review. Mentor Graphics shall bear the expense of any such review unless a material non-compliance is revealed. Mentor Graphics shall treat as confidential information all information gained as a result of any request or review and shall only use or disclose such information as required by law or to enforce its rights under this Agreement. The provisions of this Section 17 shall survive the termination of this Agreement.
18. **CONTROLLING LAW, JURISDICTION AND DISPUTE RESOLUTION.** The owners of certain Mentor Graphics intellectual property licensed under this Agreement are located in Ireland and the United States. To promote consistency around the world, disputes shall be resolved as follows: excluding conflict of laws rules, this Agreement shall be governed by and construed under the laws of the State of Oregon, USA, if Customer is located in North or South America, and the laws of Ireland if Customer is located outside of North or South America. All disputes arising out of or in relation to this Agreement shall be submitted to the exclusive jurisdiction of the courts of Portland, Oregon when the laws of Oregon apply, or Dublin, Ireland when the laws of Ireland apply. Notwithstanding the foregoing, all disputes in Asia arising out of or in relation to this Agreement shall be resolved by arbitration in Singapore before a single arbitrator to be appointed by the chairman of the Singapore International Arbitration Centre ("SIAC") to be conducted in the English language, in accordance with the Arbitration Rules of the SIAC in effect at the time of the dispute, which rules are deemed to be incorporated by reference in this section. This section shall not

restrict Mentor Graphics' right to bring an action against Customer in the jurisdiction where Customer's place of business is located. The United Nations Convention on Contracts for the International Sale of Goods does not apply to this Agreement.

19. **SEVERABILITY.** If any provision of this Agreement is held by a court of competent jurisdiction to be void, invalid, unenforceable or illegal, such provision shall be severed from this Agreement and the remaining provisions will remain in full force and effect.
20. **MISCELLANEOUS.** This Agreement contains the parties' entire understanding relating to its subject matter and supersedes all prior or contemporaneous agreements, including but not limited to any purchase order terms and conditions. Some Software may contain code distributed under a third party license agreement that may provide additional rights to Customer. Please see the applicable Software documentation for details. This Agreement may only be modified in writing by authorized representatives of the parties. Waiver of terms or excuse of breach must be in writing and shall not constitute subsequent consent, waiver or excuse.

Rev. 100615, Part No. 246066