ETSITS 126 451 V14.0.0 (2017-04)



Universal Mobile Telecommunications System (UMTS); LTE;

Codec for Enhanced Voice Services (EVS); Voice Activity Detection (VAD) (3GPP TS 26.451 version 14.0.0 Release 14)





Reference
RTS/TSGS-0426451ve00

Keywords
LTE,UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intel	lectual Property Rights	2
	word	
	al verbs terminology	
	word	
	Scope	
	References	
3	Abbreviations	
4	General	<i>6</i>
5		
Ann	ex A (informative): Change history	
Histo		

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document specifies the Voice Activity Detector (VAD) used in the Discontinuous Transmission (DTX) of the EVS Codec. Although the main application of the VAD algorithm is the detection of speech or voice signals, the algorithm is more accurately described as a Signal Activity Detection (SAD) algorithm.

The present document is a high level overview of the functionality with reference to the Codec Detailed Algorithmic Description where the functionality is specified in detail.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
[2]	3GPP TS 26.441: "Codec for Enhanced Voice Services (EVS); General Overview".
[3]	3GPP TS 26.445: "Codec for Enhanced Voice Services (EVS); Detailed Algorithmic Description ".
[4]	3GPP TS 26.442: "Codec for Enhanced Voice Services (EVS); ANSI C code (fixed-point)".
[5]	3GPP TS 26.443: "Codec for Enhanced Voice Services (EVS); ANSI C code (floating-point)".
[6]	3GPP TS 26.444: "Codec for Enhanced Voice Services (EVS); Test Sequences".
[7]	3GPP TS 26.446: "Codec for Enhanced Voice Services (EVS); AMR-WB Backward Compatible Functions".
[8]	3GPP TS 26.449: "Codec for Enhanced Voice Services (EVS); Comfort Noise Generation (CNG) Aspects".
[9]	3GPP TS 26.450: "Codec for Enhanced Voice Services (EVS); Discontinuous Transmission (DTX)".
[10]	3GPP TR 26.952: "Codec for Enhanced Voice Services (EVS); Performance Characterization".

3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

ACELP	Algebraic Code-Excited Linear Prediction
AMR-WB	Adaptive Multi Rate Wideband (codec)
CNG	Comfort Noise Generator
DTX	Discontinuous Transmission
EVS	Enhanced Voice Services
FB	Fullband
FEC	Frame Erasure Concealment

IP Internet Protocol

JBM Jitter Buffer Management MSB Most Significant Bit

MTSI Multimedia Telephony Service for IMS

NB Narrowband PS Packet Switched

PSTN Public Switched Telephone Network

SAD Signal Activity Detection

SC-VBR Source Controlled - Variable Bit Rate

SID Silence Insertion Descriptor

SWB Super Wideband

VAD Voice Activity Detection

WB Wideband

WMOPS Weighted Millions of Operations Per Second

4 General

The function of the Enhanced Voice Services coder VAD algorithm, or more accurately the SAD algorithm, is to indicate whether each 20 ms frame contains signals that should be transmitted, e.g. speech, music or other audio. The output of the SAD algorithm is a Boolean flag (f_{SAD}) that is set to one for the active signal, which is any useful signal bearing some meaningful information. Otherwise, the flag is set to zero indicating an inactive signal, which has no meaningful information. The inactive signal is mostly a pause or background noise.

The procedure of the present document is mandatory for implementation in all network entities and User Equipment (UE)s supporting the EVS coder.

The present document does not describe the ANSI-C code of this procedure. In the case of discrepancy between the procedure described in the present document and its ANSI-C code specifications contained in [4] the procedure defined by the [4] prevails.

5 The SAD Algorithm

The Enhanced Voice Services codec signal activity detection (SAD) module described in the present document consists of three sub-SAD modules; SAD1, SAD2 and SAD3.

SAD1 and SAD2 are combined initially to provide an efficient preliminary activity decision. This preliminary decision is then modified by the third sub-SAD module, SAD3, depending upon the codec mode of operation.

The efficient preliminary activity output is used as the final SAD decision for the AMR-WB IO modes, while the activity output with SAD3 is used as the final SAD decision for all other bit-rates.

Sub-clause 5.1.12 in [3] describes the operation of the SAD and the algorithms involved in the three sub-SAD modules in detail.

Annex A (informative): Change history

Change history							
Date TSG # TSG		TSG Doc.	CR	Rev	Subject/Comment	Old	New
2014-09	65	SP-140466			Presented at TSG-SA #65 for approval		1.0.0
2014-09	65				Approved at TSG SA~65	1.0.0	12.0.0
2015-12	70				Version for Release 13	12.0.0	13.0.0
		•					

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2017-03	75					Version for Release 14	14.0.0

History

Document history					
V14.0.0	April 2017	Publication			