

ETSI TS 132 335 V6.0.0 (2005-06)

Technical Specification

**Universal Mobile Telecommunications System (UMTS);
Telecommunication management;
Notification Log (NL) Integration Reference Point (IRP):
eXtensible Markup Language (XML) solution definitions
(3GPP TS 32.335 version 6.0.0 Release 6)**



Reference

DTS/TSGS-0532335v600

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2005.
All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members.
TIPHONTM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions and abbreviations.....	5
3.1 Definitions	5
3.2 Abbreviations	5
4 Structure and content of NL IRP XML	6
4.1 Global structure	6
4.2 XML elements fileHeader and fileFooter	6
4.3 NL IRP XML File Name Conventions.....	6
4.4 NL Interface IRP-specific XML schemas	6
4.5 NL IRP XML File Content Definitions.....	7
4.5.1 NL IRP XML Data File	7
4.6 NL IRP Notification XML Definitions	7
Annex A (normative): Configuration data file base XML schema (file name "notificationLog.xsd")	8
Annex B (informative): NL IRP XML Example Notification	9
Annex C (informative): NL IRP XML schema electronic files.....	10
Annex D (informative): Change history	11
History	12

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

TS 32.331	"Notification Log (NL) Integration Reference Point (IRP): Requirements".
TS 32.332	"Notification Log (NL) (NL) Integration Reference Point (IRP): Information Service (IS)".
TS 32.333	"Notification Log (NL) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
TS 32.334	"Notification Log (NL) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS)".
TS 32.335	"Notification Log (NL) Integration Reference Point (IRP): eXtensible Markup Language (XML) solution definitions" .

The present document is part of a set of Technical Specifications, which describes the requirements and information model necessary for Telecommunications Management (TM). The TM principles and TM architecture are specified in 3GPP TS 32.101 [1] and 3GPP TS 32.102 [2].

A communications system is composed of a multitude of Network Elements (NE) of various types and, typically, different vendors, which inter-operate in a coordinated manner in order to satisfy the network users' communication requirements.

The occurrence of faults in an NE may cause deterioration or loss of this NE's function. Fault Management is the functional area, which allows the operator to detect the occurrence of faults in the network in real-time. Configuration Management and Performance Management are two more functional areas, which require the operator to be alerted to certain conditions in the network.

A standard general-purpose mechanism for the management of logs containing selected notifications from the network is required to provide an ability to perform historical analysis on faults and conditions, which occurred in the network. The documents series 32.33x, constituting the Notification Log IRP, sets forth such a mechanism - and the present document contains the relevant XML definition.

1 Scope

The present document specifies the XML Definitions for the Notification Log Integration Reference Point (NL IRP) as it applies to Itf-N, in accordance with Notification Log IRP requirements and IS definitions [3], [4].

This XML Definitions specification defines the XML syntax of the NL IRP XML Data File.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.331: "Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Requirements".
- [4] 3GPP TS 32.332: "Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Information Service (IS)".
- [5] 3GPP TS 32.342: "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Information Service (IS)".
- [6] 3GPP TS 32.305: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): eXtensible Markup Language (XML) definitions".
- [7] 3GPP TS 32.111-5: "Telecommunication management; Fault Management; Part 5: Alarm Integration Reference Point (IRP): eXtensible Markup Language (XML) definitions".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 32.101 [1], 3GPP TS 32.102 [2], and 3GPP TS 32.331 [3] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

IRP	Integration Reference Point
IS	Information Service
NL	Notification Log
UML	Unified Modelling Language
IRP	Integration Reference Point

NRM Network Resource Model
XML eXtensible Markup Language

4 Structure and content of NL IRP XML

The present clause defines the XML exchanged between an IRPManager and an IRPAgent as part of NL IRP IS (see [4]):

- the NL IRP XML Data File,
- NL IRP notifications.

The use of XML schemas ensures NL XML have the proper structure and to some extent the proper content, and in particular to ensure:

- for a given Notification instance, it is properly named/positioned with regard to the global naming tree;
- for a given Notification instance, only attributes of the corresponding Notification are present;
- for a given Notification attribute, its value is of the proper type.

XML definitions for other application specific notifications (e.g. Alarm IRP notifications, Notification IRP Notification Header) are defined within the respective IRP series within specification 32.xy5.

4.1 Global structure

Editor's Note: To be added in future version of this specification.

4.2 XML elements fileHeader and fileFooter

Editor's Note: To be added in future version of this specification.

4.3 NL IRP XML File Name Conventions

For NL IRP XML File Name Conventions the generic file name definitions as specified by the FT IRP apply (see [5]).

4.4 NL Interface IRP-specific XML schemas

Interface IRP-specific XML schemas with definition of corresponding XML namespace prefixes are listed by the following table:

Table 4.4: Interface IRP-specific XML schemas, corresponding 3GPP TSs and XML namespace prefixes

IRP	XML schema	3GPP TS no.	XML namespace prefix
Alarm IRP	alarmIRPnotif.xsd	32.111-5 [7]	xa
Notification IRP	notification.xsd	32.305 [6]	xe
Notification Log IRP	notificationLog.xsd	32.335	xl

Each Interface IRP-specific XML schema explicitly declares Interface IRP-specific XML element types for the related Interface IRP.

Additionally, XML schema `notification.xsd` (see [06]) also provides global XML declarations and definitions for the support of:

- Notification header XML element type declaration

4.5 NL IRP XML File Content Definitions

4.5.1 NL IRP XML Data File

The structure of the Notification Log IRP XML Data File is shown in graphical depiction below:




Figure 4.5.1: Structure of the Notification Log IRP XML Data File

The `notificationLogRecords` element holds the instances of the notification records that are imported from the Notification Format XML schema. Note that Notification Header XML definitions are provided in [6].

The Notification Log IRP XML Data File is a simple instance based construct. The XML schema for the Notification Log IRP XML Data File is defined in Annex A.

4.6 NL IRP Notification XML Definitions

This section provides XML definitions of Notification Log IRP notifications as defined in [4].

Editor's Note: To be added at a later stage.

Annex A (normative): Configuration data file base XML schema (file name "notificationLog.xsd")

```

<?xml version="1.0" encoding="UTF-8"?>
<!--
  3GPP TS 32.335 Notification Log IRP
  The 3GPP Notification Log IRP XML Solution Definition, Schema Definition
  notificationLog.xsd
-->

<schema
targetNamespace="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32335#notifLog"
elementFormDefault="qualified"
attributeFormDefault="unqualified"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:xe="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32305#notification"
xmlns:xa="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32111-5#alarmIRPNotif"
>

  <import namespace="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32305#notification"/>
  <import namespace="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32111-5#alarmIRPNotif"/>

  <element name="notificationLog">
    <complexType>
      <all>
        <element name="notificationLogHeader">
          <complexType>
            <all>
              <element name="logFileVersion"/>
              <element name="vendorName"/>
              <element name="senderName"/>
            </all>
          </complexType>
        </element>
        <element name="notificationLogRecords" minOccurs="0">
          <complexType>
            <sequence minOccurs="0" maxOccurs="unbounded">
              <element name="notificationLogRecord">
                <complexType>
                  <sequence>
                    <element name="logRecordId" type="xs:string"/>
                    <element ref="xe:Notification"/>
                  </sequence>
                </complexType>
              </element>
            </sequence>
          </complexType>
        </element>
      </all>
    </complexType>
  </element>
</schema>

```

Annex B (informative): NL IRP XML Example Notification

This annex provides an XML example notification, demonstrating the use of and the embedding into the NL IRP XML Notification Format. This example makes use of the Alarm IRP XML Schema for Notification.

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XMLSPY v2004 rel. 4 U (http://www.xmlspy.com)-->
<notificationLog xmlns="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32335-600.zip#notifLog"
xmlns:xa="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32111-5-600.zip#alarmIRPNotif"
xmlns:xe="http://www.3gpp.org/ftp/specs/latest/rel-6/32_series/32305-600.zip#notification"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" >
  <notificationLogHeader>
    <logFileVersion>Text</logFileVersion>
    <vendorName>Text</vendorName>
    <senderName>Text</senderName>
  </notificationLogHeader>
  <notificationLogRecords>
  <notificationLogRecord>
    <logRecordId>1001</logRecordId>
    <xa:NotifyNewAlarm>
      <xe:header>
        <xe:objectClass>String</xe:objectClass>
        <xe:objectInstance>String</xe:objectInstance>
        <xe:notificationID>2147483647</xe:notificationID>
        <xe:eventTime>2001-12-17T09:30:47-05:00</xe:eventTime>
        <xe:systemDN>String</xe:systemDN>
        <xe:notificationType>String</xe:notificationType>
      </xe:header>
      <xa:body>
        <xa:probableCause>INDETERMINATE</xa:probableCause>
        <xa:perceivedSeverity>Indeterminate</xa:perceivedSeverity>
        <xa:alarmType>Communications Alarm</xa:alarmType>
        <xa:alarmID>1</xa:alarmID>
      </xa:body>
    </xa:NotifyNewAlarm>
  </notificationLogRecord>
</notificationLogRecords>
</notificationLog>
```

Annex C (informative): NL IRP XML schema electronic files

The electronic files corresponding to the normative XML schemas defined in the present document are available in native form in the following archive:

http://www.3gpp.org/ftp/specs/archive/32_series/32.335/schema/326335-600-XMLSchema.zip

Annex D (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Sep 2004	S_25	SP-040564	--	--	Submitted to TSG SA#25 for Information	1.0.0	
Jun 2005	S_28	SP-050291	--	--	Submitted to TSG SA#28 for Approval	2.0.0	6.0.0

History

Document history		
V6.0.0	June 2005	Publication