

ETSI TS 132 783 V9.0.0 (2010-04)

Technical Specification

**Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Home eNode B Subsystem (HeNS)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Common Object Request Broker Architecture (CORBA)
Solution Set (SS)
(3GPP TS 32.783 version 9.0.0 Release 9)**



Reference

RTS/TSGS-0532783v900

Keywords

LTE, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions and abbreviations.....	5
3.1 Definitions	5
3.2 Abbreviations	5
4 Architectural features	6
5 Mapping	6
5.1 General mappings.....	6
5.2 Information Object Class (IOC) mapping	6
5.2.1 IOC HeNBGWFunction	6
5.2.2 IOC HeNBProfile	6
5.2.3 IOC HeMSFunction.....	6
Annex A (normative): IDL specifications	7
Annex B (informative): Change history	8
History	9

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project: Technical Specification Group Services and System Aspects; Telecommunication management; Configuration Management (CM); as identified below:

- 32.781: Telecommunication management; Home enhanced Node B Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements
- 32.782: Telecommunication management; Home enhanced Node B Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)
- 32.783: Telecommunication management; Home enhanced Node B Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Common Object Request Broker Architecture (CORBA) Solution Set (SS)**
- 32.785: Telecommunication management; Home enhanced Node B Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Bulk CM eXtensible Markup Language (XML) file format definition

Configuration Management (CM), in general, provides the operator with the ability to assure correct and effective operation of the 3G network as it evolves. CM actions have the objective to control and monitor the actual configuration on the Network Elements (NEs) and Network Resources (NRs), and they may be initiated by the operator or by functions in the Operations Systems (OSs) or NEs.

CM actions may be requested as part of an implementation programme (e.g. additions and deletions), as part of an optimisation programme (e.g. modifications), and to maintain the overall Quality of Service (QoS). The CM actions are initiated either as single actions on single NEs of the 3G network, or as part of a complex procedure involving actions on many resources/objects in one or several NEs.

1 Scope

The present document is part of an Integration Reference Point (IRP) named HeNS Network Resource Model (NRM) IRP, through which an IRPAgent can communicate configuration management information to one or several IRPManagers concerning HeNS resources. The HeNS NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the HeNS Network Resources IRP: CORBA Solution Set, which defines the mapping of the IRP information model (see TS 32.782 [2]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TS 32.782: "Telecommunication management; Home enhanced Node B Subsystem (HeNS) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CORBA	Common Object Request Broker Architecture
DN	Distinguished Name
IS	Information Service
IDL	Interface Definition Language
IRP	Integration Reference Point
MO	Managed Object
MOC	Managed Object Class
NRM	Network Resource Model
OMG	Object Management Group
SS	Solution Set
HeNS	Home enhanced Node B Subsystem

4 Architectural features

The overall architectural feature of HeNS Network Resources IRP is specified in 3GPP TS 32.782 [2]. This clause specifies features that are specific to the CORBA SS.

5 Mapping

5.1 General mappings

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes.

The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC.

When the cardinality for an association is 0..1 or 1..1 the data type for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO.

When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

This SS supports reference attributes for relations other than containment relations between objects. Reference attributes are therefore introduced in each MOC where needed.

5.2.1 IOC HeNBGWFunction

NRM Attributes of IOC HeNBGWFunction in TS 32.782 [2]	SS Attributes	SS Type	Support Qualifier	Read	Write
id	henbgwFunctionId	string	M	M	-
henbgwId	henbgwId	long	M	M	-
userLabel	userLabel	string	M	M	M
ipConfigInfo	ipConfigInfo	string	M	M	-
maxNbrHeNBRegistered	maxNbrHeNBRegistered	Integer	M	M	-
maxPacketCapability	maxPacketCapability	integer	M	M	-

5.2.2 IOC HeNBProfile

NRM Attributes of IOC HeNBProfile in TS 32.782 [2]	SS Attributes	SS Type	Support Qualifier	Read	Write
id	henbProfileId	string	M	M	-
userLabel	userLabel	string	M	M	M
configuration	configuration	string	M	M	-
criterion	criterion	string	O	M	-

5.2.3 IOC HeMSFunction

NRM Attributes of IOC HeMSFunction in TS 32.782 [2]	SS Attributes	SS Type	Support Qualifier	Read	Write
userLabel	userLabel	string	M	M	M

Annex A (normative): IDL specifications

```
//File: HensNetworkResourcesNRMDefs.idl
#ifndef _HENSNETWORKRESOURCESNRMDEFS_IDL_
#define _HENSNETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
/**
 * This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
 */
module HensNetworkResourcesNRMDefs
{

    /**
     * Definitions for MO class HeNBGWFunction
     */
    interface HeNBGWFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "HeNBGWFunction";
        // Attribute Names
        //
        const string henbgwFunctionId = "henbgwFunctionId";
        const string henbgwId = "henbgwId";
        const string ipConfigInfo = "ipConfigInfo";
        const string maxNbrHeNBRegistered = "maxNbrHeNBRegistered";
        const string maxPacketCapability = "maxPacketCapability";
    };

    /**
     * Definitions for MO class HeNBProfile
     */
    interface HeNBProfile : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS= "HeNBProfile";
        // Attribute Names
        //
        const string henbProfileId = "henbProfileId";
        const string configuration = "configuration";
        const string criterion = "criterion";
    };

    /**
     * Definitions for MO class HeMSFunction
     */
    interface HeMSFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS= "HeMSFunction";
        // Attribute Names
        //
    };
};

#endif // _HENSETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Mar 2010	SA#47	SP-100064	--	--	Presentation to SA for information and approval	--	1.0.0
Apr 2010	SA#47	--	--	--	Publication fo SA approved version	1.0.0	9.0.0

History

Document history		
V9.0.0	April 2010	Publication