
ETSI TS 141 101 V4.9.0 (2003-06)

Technical Specification

Digital cellular telecommunications system (Phase 2+); Technical Specifications and Technical Reports for a GERAN-based 3GPP system (3GPP TS 41.101 version 4.9.0 Release 4)



1

Reference DTS/TSGS-0041101v490

> Keywords GSM

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://portal.etsi.org/tb/status/status.asp

> If you find errors in the present document, send your comment to: editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 2003. All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**TM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**TM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <u>http://webapp.etsi.org/key/queryform.asp</u>.

Contents

| Intelle | ectual Property Rights | 2 |
|---------|-----------------------------------|-----|
| Forew | /ord | 2 |
| Forew | vord | 4 |
| 1 | Scope | 5 |
| 2 | References | 5 |
| 3 | Abbreviations | 5 |
| 4 | General | 5 |
| 5 | Specifications and Reports | 5 |
| Anne | x A (informative): Change history | .16 |
| | у | |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

5

1 Scope

The present document identifies the GSM system specifications for GSM Release 4.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TR 21.900: "Technical Specification Group working methods".

3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 apply.

4 General

GSM Release 4 consists of GSM-only specifications and common specifications developed for both GSM Release 4 and Release 4 of the 3rd Generation mobile system.

The present document identifies the GSM system set of specifications required to implement GSM Release 4.

Specifications for GSM-only Release 4 can be identified by the "**ab.cde''** numbering scheme where "ab" is in the range 41 to 52.

Specifications for both GSM Release 4 and Release 4 of the 3rd Generation mobile system are identified by the "**ab.cde''** numbering scheme where "ab" is in the range 21 to 35.

A more detailed description of the specification numbering scheme is given in 3GPP TR 21.900.

5 Specifications and Reports

| Number | Title | WG prime | For publication? |
|--------|---------------------------------------------------------------------------------------------------------|-------------|------------------|
| 21.801 | Specification drafting rules | SP | No |
| 21.900 | Technical Specification Group working methods | SP | Yes |
| 22.001 | Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN) | S1 | Yes |
| 22.002 | Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN) | S1 | Yes |

| Number | Title | WG prime | For publication? |
|------------------|-------------------------------------------------------------------------------------------------------|-------------|------------------|
| 22.003 | Circuit Teleservices supported by a Public Land | S1 | Yes |
| | Mobile Network (PLMN) | | |
| 22.004 | General on supplementary services | S1 | Yes |
| 22.011 | Service accessibility | S1 | Yes |
| 22.016 | International Mobile Equipment Identities (IMEI) | S1 | Yes |
| 22.022 | Personalisation of Mobile Equipment (ME); Mobile functionality specification | S3 | Yes |
| 22.024 | Description of Charge Advice Information (CAI) | S1 | Yes |
| 22.030 | Man-Machine Interface (MMI) of the User Equipment (UE) | S1 | Yes |
| 22.031 | Fraud Information Gathering System (FIGS); Service description; Stage 1 | S3 | Yes |
| 22.032 | Immediate Service Termination (IST); Service description; Stage 1 | S3 | Yes |
| 22.034 | High Speed Circuit Switched Data (HSCSD); Stage 1 | S1 | Yes |
| 22.038 | USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1 | S1 | Yes |
| 22.041 | Operator Determined Call Barring | S1 | Yes |
| 22.042 | Network Identity and Time Zone (NITZ) service | S1 | Yes |
| | description; Stage 1 Security mechanisms for the (U)SIM application | ТЗ | Yes |
| 22.048 | toolkit; Stage 1 | | |
| 22.053 | Tandem Free Operation (TFO); Service description; Stage 1 | S4 | Yes |
| 22.057 | Mobile Execution Environment (MExE) service description; Stage 1 | S1 | Yes |
| 22.060 | General Packet Radio Service (GPRS); Service description; Stage 1 | S1 | Yes |
| 22.066 | Support of Mobile Number Portability (MNP); Stage 1 | S1 | Yes |
| 22.067 | enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 1 | S1 | Yes |
| 22.071 | Location Services (LCS); Stage 1 | S1 | Yes |
| 22.072 | Call Deflection (CD); Stage 1 | S1 | Yes |
| 22.076 | Noise suppression for the AMR codec; Service description; Stage 1 | S4 | Yes |
| 22.078 | Customized Applications for Mobile network Enhanced Logic (CAMEL); Service description; Stage 1 | S1 | Yes |
| 22.079 | Support of optimal routeing; Stage 1 | S1 | Yes |
| 22.081 | Line Identification supplementary services; Stage | | Yes |
| 22.082 | Call Forwarding (CF) Supplementary Services; Stage 1 | S1 | Yes |
| 22.083 | Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 1 | S1 | Yes |
| 22.084 | MultiParty (MPTY) supplementary service; Stage | S1 | Yes |
| 22.085 | Closed User Group (CUG) supplementary services; Stage 1 | S1 | Yes |
| 22.086 | Advice of Charge (AoC) supplementary services; Stage 1 | S1 | Yes |
| 22.087 | User-to-user signalling (UUS); Stage 1 | S1 | Yes |
| 22.088 | Call Barring (CB) supplementary services; Stage | S1 | Yes |
| 22.090 | Unstructured Supplementary Service Data (USSD); Stage 1 | S1 | Yes |
| | | S1 | Yes |
| 22.091 | Explicit Call Transfer (ECT) supplementary | | |
| 22.091 22.093 | service; Stage 1 Completion of Calls to Busy Subscriber (CCBS); | S1 | Yes |
| | service; Stage 1 | | Yes |

| Number | Title | WG prime | For publication? |
|--------|------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | Stage 1 | | |
| 22.097 | Multiple Subscriber Profile (MSP) Phase 1; Service description - Stage 1 | S1 | Yes |
| 22.115 | Service Aspects Charging and billing | S1 | Yes |
| 22.121 | Service aspects; The Virtual Home Environment; Stage 1 | S1 | Yes |
| 22.129 | Handover requirements between UTRAN and GERAN or other radio systems | S1 | Yes |
| 23.002 | Network architecture | S2 | Yes |
| 23.003 | Numbering, Addressing and Identification | N4 | Yes |
| 23.007 | Restoration procedures | N4 | Yes |
| 23.008 | Organisation of subscriber data | N4 | Yes |
| 23.009 | Handover procedures | N1 | Yes |
| 23.011 | Technical realization of Supplementary Services | N4 | Yes |
| 23.012 | Location management procedures | N4 | Yes |
| 23.014 | Support of Dual Tone Multi Frequency (DTMF) signalling | N1 | Yes |
| 23.015 | Technical realisation of Operator Determined Barring (ODB) | N4 | Yes |
| 23.016 | Subscriber data management; Stage 2 | N4 | Yes |
| 23.018 | Basic Call Handling; Technical realization | N4 | Yes |
| 23.031 | Fraud Information Gathering System (FIGS); Service description; Stage 2 | S3 | Yes |
| 23.032 | Universal Geographical Area Description (GAD) | S2 | Yes |
| 23.034 | High Speed Circuit Switched Data (HSCSD); Stage 2 | N1 | Yes |
| 23.035 | Immediate Service Termination (IST); Stage 2 | S3 | Yes |
| 23.038 | Alphabets and language-specific information | T2 | Yes |
| 23.039 | Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs) | T2 | Yes |
| 23.040 | Technical realization of Short Message Service (SMS) | T2 | Yes |
| 23.041 | Technical realization of Cell Broadcast Service (CBS) | T2 | Yes |
| 23.042 | Compression algorithm for SMS | T2 | Yes |
| 23.048 | Security mechanisms for the (U)SIM application toolkit; Stage 2 | Т3 | Yes |
| 23.053 | Tandem Free Operation (TFO); Service description; Stage 2 | S4 | Yes |
| 23.057 | Mobile Execution Environment (MExE); Functional description; Stage 2 | T2 | Yes |
| 23.060 | General Packet Radio Service (GPRS) Service description; Stage 2 | S2 | Yes |
| 23.066 | Support of GSM Mobile Number Portability (MNP) stage 2 | N4 | Yes |
| 23.067 | Enhanced Multi-Level Precedence and Pre- emption Service (eMLPP); Stage 2 | N4 | Yes |
| 23.072 | Call Deflection Supplementary Service; Stage 2 | N4 | Yes |
| 23.078 | Customised Applications for Mobile network Enhanced Logic (CAMEL); Stage 2 | N2 | Yes |
| 23.079 | Support of Optimal Routeing (SOR); Technical realization; Stage 2 | N4 | Yes |
| 23.081 | Line Identification supplementary services; Stage 2 | N4 | Yes |
| 23.082 | Call Forwarding (CF) Supplementary Services; Stage 2 | N4 | Yes |
| 23.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2 | N4 | Yes |
| 23.084 | MultiParty (MPTY) Supplementary Service; Stage 2 | N4 | Yes |
| 23.085 | Closed User Group (CUG) Supplementary Service; Stage 2 | N4 | Yes |

| Number | Title | WG | For |
|--------|------------------------------------------------------------------------------------------------------------|-------|--------------|
| 00.000 | A this of Observa (A = O) Overal servations Oser is a | prime | publication? |
| 23.086 | Advice of Charge (AoC) Supplementary Service; Stage 2 | N4 | Yes |
| 23.087 | User-to-User Signalling (UUS) supplementary service; Stage 2 | N4 | Yes |
| 23.088 | Call Barring (CB) Supplementary Service; Stage 2 | N4 | Yes |
| 23.090 | Unstructured Supplementary Service Data (USSD); Stage 2 | N4 | Yes |
| 23.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 2 | N4 | Yes |
| 23.093 | Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 | N4 | Yes |
| 23.094 | Follow Me Stage 2 | N4 | Yes |
| 23.096 | Name Identification Supplementary Service; Stage 2 | N4 | Yes |
| 23.097 | Multiple Subscriber Profile (MSP) Phase 1; Stage 2 | N4 | Yes |
| 23.108 | Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) | N1 | Yes |
| 23.110 | UMTS Access Stratum Services and Functions | S2 | Yes |
| 23.116 | Super-Charger technical realization; Stage 2 | N4 | Yes |
| 23.119 | Gateway Location Register (GLR); Stage2 | N4 | Yes |
| 23.140 | Multimedia Messaging Service (MMS); Functional description; Stage 2 | T2 | Yes |
| 23.221 | Architectural requirements | S2 | Yes |
| 23.271 | Location Services (LCS); Functional description; Stage 2 | S2 | Yes |
| 23.908 | Technical report on Pre-Paging | N4 | Yes |
| 23.909 | Technical report on the Gateway Location Register | N4 | Yes |
| 23.911 | Technical report on Out-of-band transcoder control | N4 | Yes |
| 23.912 | Technical report on Super-Charger | N4 | Yes |
| 24.002 | GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration | N1 | Yes |
| 24.007 | Mobile radio interface signalling layer 3; General Aspects | N1 | Yes |
| 24.008 | Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 | N1 | Yes |
| 24.010 | Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects | N4 | Yes |
| 24.011 | Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface | N1 | Yes |
| 24.022 | Radio Link Protocol (RLP) for circuit switched bearer and teleservices | N3 | Yes |
| 24.030 | Location Services (LCS); Supplementary service operations; Stage 3 | N4 | Yes |
| 24.067 | Enhanced Multi-Level Precedence and Pre- emption service (eMLPP); Stage 3 | N4 | Yes |
| 24.072 | Call Deflection Supplementary Service; Stage 3 | N4 | Yes |
| 24.080 | Mobile radio Layer 3 supplementary service specification; Formats and coding | N4 | Yes |
| 24.081 | Line Identification Supplementary Service; Stage 3 | N4 | Yes |
| 24.082 | Call Forwarding supplementary service; Stage 3 | N4 | Yes |
| 24.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3 | N4 | Yes |
| 24.084 | MultiParty (MPTY) Supplementary Service; Stage 3 | N4 | Yes |
| 24.085 | Closed User Group (CUG) Supplementary Service; Stage 3 | N4 | Yes |
| 24.086 | Advice of Charge (AoC) Supplementary Service; Stage 3 | N4 | Yes |

| Number | Title | WG prime | For publication? |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| 24.087 | User-to-User Signalling (UUS); Stage 3 | N4 | Yes |
| 24.088 | Call Barring (CB) Supplementary Service; Stage 3 | N4 | Yes |
| 24.090 | Unstructured Supplementary Service Data (USSD); Stage 3 | N4 | Yes |
| 24.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 3 | N4 | Yes |
| 24.093 | Call Completion to Busy Subscriber (CCBS); Stage 3 | N4 | Yes |
| 24.096 | Name Identification Supplementary Service; Stage 3 | N4 | Yes |
| 26.071 | AMR speech Codec; General description | S4 | Yes |
| 26.073 | AMR speech Codec; C-source code | S4 | Yes |
| 26.074 | AMR speech Codec; Test sequences | S4 | Yes |
| 26.077 | Minimum performance requirements for noise suppresser application to the Adaptive Multi-Rate (AMR) speech encoder | S4 | Yes |
| 26.090 | AMR speech Codec; Transcoding Functions | S4 | Yes |
| 26.091 | AMR speech Codec; Error concealment of lost frames | S4 | Yes |
| 26.092 | AMR speech Codec; comfort noise for AMR Speech Traffic Channels | S4 | Yes |
| 26.093 | AMR speech Codec; Source Controlled Rate operation | S4 | Yes |
| 26.094 | AMR Speech Codec; Voice Activity Detector for AMR Speech Traffic Channels | S4 | Yes |
| 26.102 | Adaptive Multi-Rate (AMR) speech codec; Interface to Iu and Uu | S4 | Yes |
| 26.103 | Speech codec list for GSM and UMTS | S4 | Yes |
| 26.104 | ANSI-C code for the floating-point Adaptive Multi-Rate (AMR) speech codec | S4 | Yes |
| 26.110 | Codec for circuit switched multimedia telephony service; General description | S4 | Yes |
| 26.111 | Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324 | S4 | Yes |
| 26.901 | AMR wideband speech codec; Feasibility study report | S4 | Yes |
| 26.911 | Codec for Circuit switched Multimedia Telephony Service;Terminal Implementor's Guide | S4 | Yes |
| 26.975 | Performance characterization of the Adaptive Multi-Rate (AMR) speech codec | S4 | Yes |
| 26.978 | Results of the AMR noise suppression selection phase | S4 | Yes |
| 27.001 | General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS) | N3 | Yes |
| 27.002 | Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities | | Yes |
| 27.003 | Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities | N3 | Yes |
| 27.005 | Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS) | T2 | Yes |
| 27.007 | AT command set for 3G User Equipment (UE) | T2 | Yes |
| 27.010 | Terminal Equipment to User Equipment (TE-UE) multiplexer protocol | T2 | Yes |
| 27.060 | Packet domain; Mobile Station (MS) supporting Packet Switched services | N3 | Yes |
| 27.103 | Wide Area Network Synchronization | T2 | Yes |
| 28.062 | Inband Tandem Free Operation (TFO) of speech codecs; Service description; Stage 3 | S4 | Yes |
| 29.002 | Mobile Application Part (MAP) specification | N4 | Yes |
| 29.007 | General requirements on interworking between the Public Land Mobile Network (PLMN) and the | N3 | Yes |

| Number | Title | WG prime | For publication? |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) | prine | publication. |
| 29.010 | Information Element Mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MCS) Signalling Procedures and the Mobile Application Part (MAP) | N4 | Yes |
| 29.011 | Signalling Interworking for Supplementary Services | N4 | Yes |
| 29.013 | Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols | N4 | Yes |
| 29.016 | Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification | N1 | Yes |
| 29.018 | General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification | N1 | Yes |
| 29.060 | General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface | N4 | Yes |
| 29.061 | Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN) | N3 | Yes |
| 29.078 | Customised Applications for Mobile network Enhanced Logic (CAMEL); CAMEL Application Part (CAP) specification | N2 | Yes |
| 29.994 | Recommended infrastructure measures to overcome specific Mobile Station (MS) and User Equipment (UE) faults | N1 | Yes |
| 30.902 | Guidelines for the modification of the Mobile Application Part (MAP) | N4 | No |
| 31.048 | Test specification for security mechanisms for the (U)SIM application toolkit | Т3 | Yes |
| 31.111 | Universal Subscriber Identity Module Application Toolkit (USAT) | Т3 | Yes |
| 32.200 | Telecommunication management; Charging management; Charging principles | S5 | Yes |
| 32.311 | Telecommunication management; Generic Integration Reference Point (IRP) management; Requirements | S5 | Yes |
| 32.401 | Telecommunication management; Performance Management (PM); Concept and requirements | S5 | Yes |
| 32.403 | Telecommunication management; Performance Management (PM); Performance measurements - UMTS and combined UMTS/GSM | S5 | Yes |
| 32.600 | Telecommunication management; Configuration Management (CM); Concept and high-level requirements | S5 | Yes |
| 32.601 | Telecommunication management; Configuration Management (CM); Basic Configuration Management (CM) Integration Reference Point (IRP): requirements | S5 | Yes |
| 32.602 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP): Information service | S5 | Yes |
| 32.603 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) solution set | S5 | Yes |
| 32.621 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): requirements | S5 | Yes |
| 32.622 | Telecommunication management; Configuration | S5 | Yes |

| Number | Title | WG prime | For publication? |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | Management (CM); Generic network resources Integration Reference Point (IRP): Network Resource Model (NRM) | | • |
| 32.623 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) solution set | S5 | Yes |
| 32.624 | Telecommunication management; Configuration Management (CM); Generic network resources: Integration Reference Point (IRP): Common Management Information Protocol (CMIP) solution set | S5 | Yes |
| 32.632 | Telecommunication management; Configuration Management (CM); Core Network Resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes |
| 32.633 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) solution set | S5 | Yes |
| 32.634 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Common Management Information Protocol (CMIP) solution set | S5 | Yes |
| 32.651 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP): Requirements | S5 | Yes |
| 32.652 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes |
| 32.653 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) solution set | S5 | Yes |
| 32.654 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP): Common Management Information Protocol (CMIP) solution set | S5 | Yes |
| 41.031 | Fraud Information Gathering System (FIGS); Service requirements; Stage 0 | S3 | Yes |
| 41.033 | Lawful Interception requirements for GSM | S3 | Yes |
| 41.061 | General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements | S3 | Yes |
| 41.101 | Technical Specifications and Technical Reports for a GERAN-based 3GPP system | SP | Yes |
| 42.009 | Security Aspects | S3 | Yes |
| 42.017 | Subscriber Identity Module (SIM); Functional characteristics | Т3 | Yes |
| 42.019 | Subscriber Identity Module Application Programming Interface (SIM API); Stage 1 | Т3 | Yes |
| 42.033 | Lawful Interception; Stage 1 | S3 | Yes |
| 42.043 | Support of Localised Service Area (SoLSA); Service description; Stage 1 | S1 | Yes |
| 42.056 | GSM Cordless Telephony System (CTS), Phase 1; Service description; Stage 1 | S1 | Yes |
| 42.068 | Voice Group Call Service (VGCS); Stage 1 | S1 | Yes |
| 42.069 | Voice Broadcast Service (VBS); Stage 1 | S1 | Yes |
| 43.005 | Technical performance objectives | NP | Yes |
| 43.010 | GSM Public Land Mobile Network (PLMN) | N3 | Yes |

| Number | Title | WG prime | For publication? |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | connection types | | |
| 43.013 | Discontinuous Reception (DRX) in the GSM system | G1 | Yes |
| 43.019 | Subscriber Identity Module Application Programming Interface (SIM API) for Java Card; Stage 2 | ТЗ | Yes |
| 43.020 | Security-related network functions | S3 | Yes |
| 43.022 | Functions related to Mobile Station (MS) in idle mode and group receive mode | G1 | Yes |
| 43.026 | Multiband operation of GSM / DCS 1800 by a single operator | G1 | Yes |
| 43.030 | Radio network planning aspects | G1 | Yes |
| 43.033 | Lawful Interception; Stage 2 | S3 | Yes |
| 43.045 | Technical Realization of Facsimile Group 3 Service - transparent | N3 | Yes |
| 43.050 | Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System | S4 | Yes |
| 43.052 | Lower layers of the GSM Cordless Telephony System (CTS) radio interface; Stage 2 | G1 | Yes |
| 43.055 | Dual Transfer Mode (DTM); Stage 2 | G1 | Yes |
| 43.058 | Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs) | S4 | Yes |
| 43.059 | Functional stage 2 description of Location Services (LCS) in GERAN | G1 | Yes |
| 43.064 | Overall description of the GPRS radio interface; Stage 2 | G1 | Yes |
| 43.068 | Voice Group Call Service (VGCS); Stage 2 | N1 | Yes |
| 43.069 | Voice Broadcast service (VBS); Stage 2 | N1 | Yes |
| 43.073 | Support of Localised Service Area (SoLSA); Stage 2 | N4 | Yes |
| 44.001 | Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles | N1 | Yes |
| 44.003 | Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities | G2 | Yes |
| 44.004 | Layer 1 - General Requirements | G2 | Yes |
| 44.005 | Data Link (DL) Layer General Aspects | G2 | Yes |
| 44.006 | Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification | G2 | Yes |
| 44.012 | Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface | G2 | Yes |
| 44.013 | Performance Requirements on Mobile Radio Interface | N1 | Yes |
| 44.014 | Individual equipment type requirements and interworking; Special conformance testing functions | G2 | Yes |
| 44.018 | Mobile radio interface layer 3 specification; Radio Resource Control (RRC) protocol | G2 | Yes |
| 44.021 | Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface | N3 | Yes |
| 44.031 | Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio Resource LCS Protocol (RRLP) | G2 | Yes |
| 44.035 | Location Services (LCS); Broadcast network assistance for Enhanced Observed Time Difference (E-OTD) and Global Positioning System (GPS) positioning methods | G2 | Yes |
| 44.056 | GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification | N1 | Yes |
| 44.057 | GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification | N1 | Yes |

| Number | Title | WG prime | For publication? |
|------------------|------------------------------------------------------------------------------------------------|-------------|------------------|
| 44.060 | General Packet Radio Service (GPRS); Mobile | G2 | Yes |
| | Station (MS) - Base Station System (BSS) | | |
| | interface; Radio Link Control/ Medium Access | | |
| | Control (RLC/MAC) protocol | | |
| 44.064 | Mobile Station - Serving GPRS Support Node | N1 | Yes |
| | (MS-SGSN) Logical Link Control (LLC) Layer | | |
| | Specification | | |
| 44.065 | Mobile Station (MS) - Serving GPRS Support | N1 | Yes |
| | Node (SGSN); Subnetwork Dependent | | |
| | Convergence Protocol (SNDCP) | | |
| 44.068 | Group Call Control (GCC) Protocol | N1 | Yes |
| 44.069 | Broadcast Call Control (BCC) protocol | N1 | Yes |
| 44.071 | Location Services (LCS); Mobile radio interface layer 3 LCS specification | G2 | Yes |
| 45.001 | Physical layer on the radio path; General description | G1 | Yes |
| 45.002 | Multiplexing and multiple access on the radio | G1 | Yes |
| | path | | |
| 45.003 | Channel coding | G1 | Yes |
| 45.004 | Modulation | G1 | Yes |
| 45.005 | Radio transmission and reception | G1 | Yes |
| 45.005 | Radio subsystem link control | G1 | Yes |
| 45.008 | Link adaptation | G1 | Yes |
| 45.009 | Radio subsystem synchronization | G1 | Yes |
| 45.010 45.022 | Radio link management in hierarchical networks | G1 | Yes |
| | | G1 | Yes |
| 45.050 | Background for RF Requirements | G1 G1 | |
| 45.056 | CTS-FP Radio Sub-system | | Yes |
| 46.001 | Full Rate Speech Processing Functions | S4 | Yes |
| 46.002 | Half Rate Speech Processing Functions | S4 | Yes |
| 46.006 | Half-rate speech: ANSI-C code for GSM half- rate speech codec | S4 | Yes |
| 46.007 | Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec | S4 | Yes |
| 46.008 | Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec | S4 | Yes |
| 46.010 | Full-rate speech transcoding | S4 | Yes |
| 46.011 | Substitution and Muting of Lost Frames for Full | S4 | Yes |
| | Rate Speech Channels | | |
| 46.012 | Comfort Noise Aspects for Full Rate Speech Traffic Channels | S4 | Yes |
| 46.020 | Half Rate Speech Transcoding | S4 | Yes |
| 46.021 | Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels | S4 | Yes |
| 46.022 | Comfort Noise Aspects for Half Rate Speech Traffic Channels | S4 | Yes |
| 46.031 | Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels | S4 | Yes |
| 46.032 | Voice Activity Detection (VAD) | S4 | Yes |
| 46.041 | Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels | S4 | Yes |
| 46.042 | Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels | S4 | Yes |
| 46.051 | GSM Enhanced full rate speech processing functions: General description | S4 | Yes |
| 46.053 | ANSI-C code for the GSM Enhanced full rate speech codec | S4 | Yes |
| 46.054 | Test sequences for the GSM Enhanced Full Rate | S4 | Yes |
| 46.055 | (EFR) Performance characterisation of the GSM EFR | S4 | Yes |
| 10.005 | Speech Codec | 0.1 | |
| 46.060 | Enhanced full rate speech transcoding | S4 | Yes |
| 46.061 | Substitution and muting of lost frames for encanced full rate speech traffic channels | S4 | Yes |
| 46.062 | Comfort noise aspects for Enhanced Full Rate | S4 | Yes |

| Number | Title | WG prime | For publication? |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | (EFR) speech traffic channels | | |
| 46.076 | Adaptive Multi-Rate (AMR) speech codec; Study phase report | S4 | Yes |
| 46.081 | Discontinuous Transmission (DTX) for encanced full rate speech traffic channels | S4 | Yes |
| 46.082 | Voice Activity Detection (VAD) for encanced full rate speech traffic channels | S4 | Yes |
| 46.085 | Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation | S4 | Yes |
| 48.001 | General Aspects on the BSS-MSC Interface | G2 | Yes |
| 48.002 | Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles | G2 | Yes |
| 48.004 | Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification | G2 | Yes |
| 48.006 | Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface | G2 | Yes |
| 48.008 | Mobile Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification | G2 | Yes |
| 48.014 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1 | G2 | Yes |
| 48.016 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service | G2 | Yes |
| 48.018 | General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol | G2 | Yes |
| 48.020 | Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface | N3 | Yes |
| 48.031 | Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification | G2 | Yes |
| 48.051 | Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects | G2 | Yes |
| 48.052 | Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles | G2 | Yes |
| 48.054 | Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 1 structure of physical circuits | G2 | Yes |
| 48.056 | Base Station Controller - Base Transceiver Station (BSC - BTS) interface; Layer 2 specification | G2 | Yes |
| 48.058 | Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification | G2 | Yes |
| 48.060 | In-band control of remote transcoders and rate adaptors for full rate traffic channels | G1 | Yes |
| 48.061 | In-band control of remote transcoders and rate adaptors for half rate traffic channels | G1 | Yes |
| 48.071 | Location Services (LCS); Serving Mobile Location Centre - Base Station System (SMLC- BSS) interface; Layer 3 specification | G2 | Yes |
| 49.001 | General network interworking scenarios | N4 | Yes |
| 49.008 | Application of the Base Station System Application Part (BSSAP) on the E-Interface | N1 | Yes |
| | Application Part LCS Extension (BSSAP-LE) | G2 | Yes |
| 49.008 49.031 50.059 | Application Part (BSSAP) on the E-Interface Location Services (LCS); Base Station System | | |

| Number | Title | WG prime | For publication? |
|----------|------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| | (EDGE); Project scheduling and open issues for EDGE | | |
| 51.010-1 | Mobile Station (MS) conformance specification; Part 1: Conformance specification | G3new | Yes |
| 51.010-2 | Mobile Station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification | G3new | Yes |
| 51.010-3 | Mobile Station (MS) conformance specification; Part 3: Layer3 (L3) Abstract Test Suite (ATS) | G3new | Yes |
| 51.011 | Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface | Т3 | Yes |
| 51.013 | Test specification for Subscriber Identity Module (SIM) Application Programming Interface (API) for Java Card | Т3 | Yes |
| 51.014 | Specification of Subscriber Identity Module - Mobile Equipment (SIM - ME) Interface for SIM Application Toolkit | Т3 | Yes |
| 51.021 | GSM radio aspects base station system equipment specification | G1 | Yes |
| 51.026 | GSM Repeater Equipment Specification | G1 | Yes |
| 52.021 | Network Management (NM) Procedures and messages on the A-bis interface | G1 | Yes |
| 52.402 | Telecommunication management; Performance Management (PM); Performance measurements - GSM | S5 | Yes |

16

Annex A (informative): Change history

| Change history | | | | | | | | |
|----------------|-------|-----------|-----|-----|-------------------------------------------------------------|--------|--------|--|
| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New | |
| 2001-03 | SP-11 | SP-010212 | - | - | Approved and placed under TSG SA Change Control (Rel-4) | 3GPP | 3GPP | |
| | | | | | | TS | TS | |
| | | | | | | 41.102 | 41.102 | |
| | | | | | | vers | vers | |
| | | | | | | 2.2.0 | 4.0.0 | |
| 2001-07 | SP-12 | SP-010383 | 001 | 1 | Correction to list of specs | 4.0.0 | 4.1.0 | |
| 2001-09 | SP-13 | SP-010592 | 002 | 5 | Correction to list of specs | 4.1.0 | 4.2.0 | |
| 2001-12 | SP-14 | SP-010754 | 003 | 1 | Correction to list of specs | 4.2.0 | 4.3.0 | |
| 2002-03 | SP-15 | SP-020179 | 004 | 1 | Correction to list of specs | 4.3.0 | 4.4.0 | |
| 2002-06 | SP-16 | SP-020400 | 006 | 1 | Correction to list of specs | 4.4.0 | 4.5.0 | |
| 2002-06 | | | | | Corect correction to list of specs plus editorials | 4.5.0 | 4.5.1 | |
| 2002-09 | SP-17 | SP-020615 | 007 | 1 | Correction to list of specs; editorial correction of titles | 4.5.1 | 4.6.0 | |
| 2002-12 | SP-18 | SP-020782 | 800 | - | Correction to list of specs; editorial correction of titles | 4.6.0 | 4.7.0 | |
| 2003-03 | SP-19 | SP-030077 | 009 | | Correction to list of specs; editorial correction of titles | 4.7.0 | 4.8.0 | |
| 2003-06 | SP-20 | SP-030229 | 010 | 1 | Correction to list of specs; editorial correction of titles | 3GPP | 3GPP | |
| | | SP-030235 | | | Renumber from 41.102 to 41.101 | TS | TS | |
| | | | | | | 41.102 | 41.101 | |
| | | | | | | vers | vers | |
| | | | | | | 4.8.0 | 4.9.0 | |

History

| Document history | | | | | | | |
|------------------|-----------|-------------|--|--|--|--|--|
| V4.9.0 | June 2003 | Publication | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |