ETSITS 141 102 V4.1.0 (2001-07)

Technical Specification

Digital cellular telecommunications system (Phase 2+); GSM Release 4 specifications (3GPP TS 41.102 version 4.1.0 Release 4)



Reference
RTS/TSGS-0041102Uv4R1

Keywords
GSM

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://www.etsi.org/tb/status/

If you find errors in the present document, send your comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2001.

All rights reserved.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under www.etsi.org/key.

Contents

Forev	vord	4
1	Scope	5
	References	
3	Abbreviations	5
4	General	5
5	Specifications and Reports	(
Anne	x A (informative): Change history	. 13

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document identifies the GSM system specifications for GSM Release 4.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document.*
- [1] 3GPP TR 21.905: "3G vocabulary".
- [2] 3GPP TR 21.900: "3GPP working methods".

3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 apply.

4 General

GSM Release 4 consists of GSM-only specifications and common specifications developed for both GSM Release 4 and Release 4 of the 3rd Generation mobile system.

The present document identifies the GSM system set of specifications required to implement GSM Release 4.

Specifications for GSM-only Release 4 can be identified by the "**ab.cde''** numbering scheme where "ab" is in the range 41 to 52.

Specifications for both GSM Release 4 and Release 4 of the 3rd Generation mobile system are identified by the "**ab.cde''** numbering scheme where "ab" is in the range 21 to 35.

A more detailed description of the specification numbering scheme is given in 3GPP TR 21.900.

5 Specifications and Reports

The first column shows the prior-Release specification number, if any, corresponding to the spec number given in the second column.

progenitor	Number	Title	WG prime	For pub-
	21.801	3GPP drafting rules	SP	Yes
	22.121	Provision of Services in UMTS - The Virtual Home Environment ; Stage 1	S1	Yes
	23.221	Architectural requirements	S2	Yes
	23.271	Functional stage 2 description of location services	S2	Yes
	23.908	Technical report on Pre-Paging	N4	Yes
	23.909	Technical report on the Gateway Location Register	N4	Yes
	23.911	Technical report on Out-of-band transcoder control	N4	Yes
	23.912	Technical report on Super-Charger	N4	Yes
	23.925	UMTS Core network based ATM transport	S2	Yes
	41.102	GSM Release 4 Specifications	SP	Yes
	26.978	Results of the AMR noise suppression selection phase	S4	Yes
	32.311	Telecommunication management; Generic IRP management; Requirements	S5	Yes
	32.401	Telecommunication management; Performance Management (PM); Concept and requirements	S5	Yes
	32.402	Telecommunication management; Performance Management (PM); Performance measurements - GSM	S5	Yes
	32.403	Telecommunication management; Performance Management (PM); Performance measurements - UMTS and combined UMTS/GSM	S5	Yes
	32.600	Telecommunication Management; Configuration Management; 3G configuration management; Concept and main requirements	S5	Yes
	32.601	Telecommunication Management; Configuration Management; Basic CM IRP: requirements	S5	Yes
	32.602	Telecommunication Management; Configuration Management; Basic configuration management IRP information model	S5	Yes
	32.603	Telecommunication Management; Configuration Management; Basic configuration management IRP: CORBA solution set	S5	Yes
	32.621	Telecommunication Management; Configuration Management; Generic network resources IRP: requirements	S5	Yes
	32.622	Telecommunication Management; Configuration Management; Generic network resources IRP: NRM	S5	Yes
	32.623	Telecommunication Management; Configuration Management; Generic network resources IRP: CORBA solution set	S5	Yes
	32.624	Telecommunication Management; Configuration Management; Generic network resources: IRP CMIP solution set	S5	Yes
	32.632	Telecommunication Management; Configuration Management; Core Network Resources IRP: NRM	S5	Yes
	32.633	Telecommunication Management; Configuration Management; Core network resources IRP: CORBA solution set	S5	Yes
	32.634	Telecommunication Management; Configuration Management; Core network resources IRP: CMIP solution set	S5	Yes
	32.651	Telecommunication Management; Configuration Management; GERAN network resources IRP: requirements	S5	Yes
	32.652	Telecommunication Management; Configuration Management; GERAN network resources IRP: NRM	S5	Yes
	32.653	Telecommunication Management; Configuration Management; GERAN network resources IRP: CORBA solution set	S5	Yes
	32.654	Telecommunication Management; Configuration Management; GERAN network resources IRP: CMIP solution set	S5	Yes
01.31	41.031	Fraud Information Gathering System (FIGS); Service requirements ; Stage 0	S3	Yes
01.33	41.033	Lawful Interception requirements for GSM	S3	Yes
01.61	41.061	General Packet Radio Service (GPRS); GPRS ciphering algorithm requirements	S3	Yes
02.01	22.001	Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)	S1	Yes

02.02 22.0 02.03 22.0 02.04 22.0 02.11 22.0 02.15 22.1 02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.44 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.71 22.0 02.72 22.0	.003 C	Circuit Bearer Services Supported by a PLMN Circuit Teleservices supported by a Public Land Mobile Network (PLMN) General on Supplementary Services Security Aspects Service accessibility Service Aspects Charging and billing International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 Immediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deparator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1 SSM Cordless Telephony System (CTS), Phase 1; Service description;	\$1 \$1 \$1 \$3 \$3 \$1 \$1 \$1 \$3 \$3 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3	Yes			
02.04 22.0 02.09 42.0 02.11 22.0 02.15 22.1 02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.44 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.004	General on Supplementary Services Security Aspects Service accessibility Service Aspects Charging and billing International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Departor Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$3 \$1 \$1 \$1 \$1 \$3 \$3 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.09 42.0 02.11 22.0 02.15 22.1 02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.44 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.009 S .011 S .016 III .017 S .018 S .022 F .024 C .129 H .030 N .031 F .032 III .033 L .034 H .038 S .041 C .042 N .043 S .048 S .048 S	Security Aspects Service accessibility Service Aspects Charging and billing International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 Immediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deperator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$3 \$1 \$1 \$1 \$1 \$3 \$3 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.11 22.0 02.15 22.1 02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.011 S .016 III .017 S .016 III .017 S .022 F .024 C .129 H .030 N .031 F .032 III .033 L .034 H .038 S .041 C .042 N .043 S .048 S .053 T	Service accessibility Service Aspects Charging and billing International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 Immediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 Deperator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$1 \$1 \$1 \$3 \$3 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.15 22.1 02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.115 S	Service Aspects Charging and billing International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 Immediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 Deparator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$1 \$3 \$3 \$1 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.16 22.0 02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.016 III	International Mobile Equipment Identities (IMEI) Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Degrator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 T3 T3 \$3 \$1 \$1 \$1 \$3 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.17 42.0 02.19 42.0 02.22 22.0 02.24 22.0 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.017 S .019 S .022 F .024 C .129 H .030 M .031 F .032 II .033 L .034 H .038 S .041 C .042 M .043 S .048 S .053 T .056 G .55	Subscriber Identity Modules, Functional Characteristics Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Derator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	T3 T3 S3 S1 S1 S1 S3 S3 S3 S3 S1	Yes			
02.19 42.0 02.22 22.0 02.24 22.0 02.29 22.1 02.30 22.0 02.31 42.0 02.32 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.42 22.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.71 22.0	.019 S S S .022 F .024 C .129 F S S .030 M .031 F .032 III .033 L .034 F .038 S .041 C .042 M .043 S .048 S .048 S .048 S .053 T .056 C S	Subscriber Identity Module Application Programming Interface (SIM API); Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Derator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	T3 S3 S1 S1 S1 S3 S3 S3 S3 S1 S3	Yes			
02.22 22.0 02.24 22.0 02.29 22.1 02.30 22.0 02.31 42.0 02.32 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.71 22.0	.022 F	Service description; Stage 1 Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deperator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$3 \$1 \$1 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.24 22.0 02.29 22.1 02.30 22.0 02.31 42.0 02.32 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.022 F	Personalisation of GSM ME Mobile functionality specification; Stage 1 Description of Charge Advice Information (CAI) Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deperator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$1 \$3 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.29 22.1 02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.129 H S	Handover Requirements between UMTS and GSM or other Radio Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deparator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$3	Yes			
02.30 22.0 02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.030 M .031 F .032 III .033 L .034 H .038 S .041 C .042 M .043 S .048 S .048 S .053 T	Systems Man-Machine Interface (MMI) of the Mobile Station (MS) Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Degrator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S1 S3 S3 S3 S1 S1 S1 S1 S1 S1 S1 S1 S3	Yes			
02.31 42.0 02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.031 F .032 III .033 L .034 F .038 S .041 C .042 N .043 S .048 S .053 T	Fraud Information Gathering System (FIGS) Service description; Stage 1 mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Departor Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$3 \$3 \$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes			
02.32 42.0 02.33 42.0 02.34 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.032 III .033 L .034 F .038 S .041 C .042 N .043 S .048 S .053 T .056 C	mmediate Service Termination (IST); Service description; Stage 1 Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Departed Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S3 S3 S1 S1 S1 S1 S1 S1 S1 S1 S1	Yes			
02.33 42.0 02.34 22.0 02.38 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.033 L .034 H .038 S .041 C .042 N .043 S .048 S .053 T	Lawful Interception; Stage 1 High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Deparator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$3 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	Yes Yes Yes Yes Yes Yes Yes Yes Yes			
02.34 22.0 02.38 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.034 F .038 S .041 C .042 N .043 S .048 S .053 T .056 C	High Speed Circuit Switched Data (HSCSD); Stage 1 SIM application toolkit (SAT); Stage 1 Degrator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	\$1 \$1 \$1 \$1 \$1 \$1 \$1 \$3 \$4	Yes Yes Yes Yes Yes Yes Yes			
02.38 22.0 02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.038 S .041 C .042 N .043 S .048 S .053 T	SIM application toolkit (SAT); Stage 1 Departor Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S1 S1 S1 S1 T3 S4	Yes Yes Yes Yes Yes Yes			
02.41 22.0 02.42 22.0 02.43 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.041 C .042 N .043 S .048 S .053 T .056 G	Operator Determined Call Barring Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S1 S1 S1 T3 S4	Yes Yes Yes Yes			
02.42 22.0 02.43 42.0 02.48 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.042 N .043 S .048 S .053 T .056 G	Network Identity and Time Zone (NITZ), stage 1 Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S1 S1 T3 S4	Yes Yes Yes			
02.43 42.0 02.48 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.043 S .048 S .053 T .056 S	Support of Localised Service Area (SoLSA); Stage 1 Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S1 T3 S4	Yes Yes			
02.48 42.0 02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.048 S .053 T .056 G	Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	T3 S4	Yes			
02.53 22.0 02.56 42.0 02.57 22.0 02.60 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.048 S .053 T .056 G	Security mechanisms for the SIM Application Toolkit; Stage 1 Fandem Free Operation (TFO); Service Description - Stage 1	S4				
02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.053 T	Fandem Free Operation (TFO); Service Description - Stage 1		Yes			
02.56 42.0 02.57 22.0 02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.056 S	· · · · · · · · · · · · · · · · · · ·		1			
02.60 22.0 02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0		Stage 1	31	Yes			
02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0		Mobile Station Application Execution Environment (MExE); Stage 1		Yes			
02.66 22.0 02.67 22.0 02.68 42.0 02.69 42.0 02.71 22.0	.060	General Packet Radio Service (GPRS); Stage 1	S1	Yes			
02.68 42.0 02.69 42.0 02.71 22.0		Support of Mobile Number Portability (MNP); Stage 1	S1	Yes			
02.69 42.0 02.71 22.0	.067 е	enhanced Multi-Level Precedence and Pre-emption service (eMLPP) ; Stage 1	S1	Yes			
02.71 22.0		/oice Group Call Service (VGCS) ; Stage 1	S1	Yes			
	.069 V	/oice Broadcast Service (VBS) ; Stage 1	S1	Yes			
02 72 22 0	.071 L	ocation Services (LCS); Stage 1	S1	Yes			
UZ.12 ZZ.U	.072 C	Call Deflection (CD); Stage 1	S1	Yes			
02.76 22.0	.076 N	Noise Suppression for the AMR	S4	Yes			
02.78 22.0	.078 C	CAMEL; Stage 1	S1	Yes			
02.79 22.0		Support of Optimal Routing; Stage 1	S1	Yes			
02.81 22.0		Line Identification Supplementary Services; Stage 1	S1	Yes			
02.82 22.0		Call Forwarding (CF) Supplementary Services; Stage 1	S1	Yes			
02.83 22.0		Call Waiting (CW) and Call Hold (HOLD) Supplementary Services; Stage	S1	Yes			
02.84 22.0	.084 N	MultiParty (MPTY) Supplementary Service; Stage 1	S1	Yes			
02.85 22.0		Closed User Group (CUG) Supplementary Services; Stage 1	S1	Yes			
02.86 22.0		Advice of Charge (AoC) Supplementary Services; Stage 1	S1	Yes			
02.87 22.0		Jser-to-user signalling (UUS); Stage 1	S1	Yes			
02.88 22.0		Call Barring (CB) Supplementary Services; Stage 1	S1	Yes			
02.90 22.0		Unstructured Supplementary Service Data (USSD); Stage 1	S1	Yes			
02.91 22.0		Explicit Call Transfer (ECT) Supplementary Service; Stage 1	S1	Yes			
02.93 22.0		Call Completion to Busy Subscriber (CCBS); Stage 1	S1	Yes			
02.94 22.0		Follow Me Stage 1	S1	Yes			
02.96 22.0		Calling Name Presentation (CNAP); Stage 1 (T1P1)	S1	Yes			
02.90 22.0				Yes			
03.02 23.0	.∪ <i>∋i</i> ∣N						
03.02 23.0	002	Network Architecture	S2 N4	Yes Yes			

progenitor	Number	Title	WG prime	For pub-	
03.05	43.005	Technical performance objectives	NP	Yes	
03.07	23.007	Restoration procedures	N4	Yes	
03.08	23.008	Organisation of subscriber data	N4	Yes	
03.08	23.108	Mobile Radio Interface Layer 3 specification Core Network Protocols stage 2 (structured procedures)	N1	Yes	
03.09	23.009	Handover procedures	N1	Yes	
03.10	23.110	UMTS Access Stratum Services and Functions	S2	Yes	
03.10	43.010	GSM Public Land Mobile Network (PLMN) Connection Types	N3	Yes	
03.11	23.011	Technical Realization of Supplementary Services - General Aspects	N4	Yes	
03.12	23.012	Location management procedures	N4	Yes	
03.13	43.013	Discontinuous Reception (DRX) in the GSM System	GP	Yes	
03.14	23.014	Support of Dual Tone Multi Frequency (DTMF) signalling	N1	Yes	
03.15	23.015	Technical realisation of Operator Determined Barring (ODB)	N4	Yes	
03.16	23.016	Subscriber data management ; Stage 2	N4	Yes	
03.16	23.116	Super Charger ; Stage 2	N4	Yes	
03.18	23.018	Basic Call Handling - Technical realisation	N4	Yes	
03.19	23.119	Gateway Location Register (GLR); Stage2	N4	Yes	
03.19	43.019	GSM API for SIM toolkit stage 2	T3	Yes	
03.20	43.020	Security-related Network Functions	S3	Yes	
03.22	43.022	Functions Related to Mobile Station (MS) in Idle Mode	G1	Yes	
03.26	43.026	Multiband operation of GSM/DCS 1800 by a single operator	GP	Yes	
03.30	43.030	Radio Network Planning Aspects	GP	Yes	
03.31	43.031	Fraud Information Gathering System (FIGS); Service description; Stage 2	S3	Yes	
03.32	23.032	Universal Geographical Area Description (GAD)	S2	Yes	
03.33	43.033	Lawful Interception ; Stage 2	S3	Yes	
03.34	23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	N1	Yes	
03.35	43.035	Immediate Service Termination (IST); Stage 2	S3	Yes	
03.38	23.038	Alphabets & Language	T2	Yes	
03.39	23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	T2	Yes	
03.40	23.040	Technical realisation of Short Message Service	T2	Yes	
03.40	23.140	Multimedia Messaging Service (MMS)	T2	Yes	
03.41	23.041	Technical Realization of Cell Broadcast Service	T2	Yes	
03.42	23.042	Compression algorithm for SMS	T2	Yes	
03.45	43.045	Technical Realization of Facsimile Group 3 Service - transparent	N3	Yes	
03.48	23.048	Security Mechanisms for SIM Toolkit Application ; Stage 2	Т3	Yes	
03.50	43.050	Transmission Planning Aspects of the Speech Service in the GSM Public Land Mobile Network (PLMN) System	S4	Yes	
03.51	43.051	GSM/EDGE Radio Access Network (GERAN) overall description; Stage 2	G1	Yes	
03.52	43.052	Lower layers of the GSM Cordless Telephony System (CTS) radio interface ; Stage 2	GP	Yes	
03.53	23.053	Tandem Free Operation (TFO); Service description; Stage 2	S4	Yes	
03.55	43.055	Dual Transfer Mode (DTM); Stage 2	G1	Yes	
03.57	23.057	Mobile Station Application Execution Environment (MExE)	T2	Yes	
03.58	43.058	Characterisation, test methods and quality assessment for handsfree Mobile Stations (MSs)	S4	Yes	
03.59	43.059	Location services (LCS) GERAN; Stage 2	GP	Yes	
03.60	23.060	General Packet Radio Service (GPRS) Service description; Stage 2	S2	Yes	
03.63	43.063	Packet Data on Signalling channels service (PDS) Service description, Stage 2	N1	Yes	
03.64	43.064	Overall description of the GPRS radio interface; Stage 2	G1	Yes	
03.66	23.066	Support of GSM Mobile Number Portability (MNP) stage 2	N4	Yes	
03.67	23.067	Enhanced Multi-Level Precedence and Preemption Service (EMLPP) ; Stage 2	N4	Yes	
03.68	43.068	Voice Group Call Service (VGCS); Stage 2	N1	Yes	
03.69	43.069	Voice Broadcast service (VBS); Stage 2	N1	Yes	

progenitor	Number	Title	WG prime	For pub-	
03.72	23.072	Call Deflection Supplementary Service ; Stage 2	N4	Yes	
03.73	23.073	Support of Localised Service Area (SoLSA); Stage 2	N4	Yes	
03.78	23.078	Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 3 - Stage 2	N2	Yes	
03.79	23.079	Support of Optimal Routeing - Phase 1 ; Stage 2	N4	Yes	
03.81	23.081	Line Identification Supplementary Services; Stage 2	N4	Yes	
03.82	23.082	Call Forwarding (CF) Supplementary Services ; Stage 2	N4	Yes	
03.83	23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service ; Stage 2	N4	Yes	
03.84	23.084	MultiParty (MPTY) Supplementary Service ; Stage 2	N4	Yes	
03.85	23.085	Closed User Group (CUG) Supplementary Service ; Stage 2	N4	Yes	
03.86	23.086	Advice of Charge (AoC) Supplementary Service ; Stage 2	N4	Yes	
03.87	23.087	User-to-User Signalling (UUS); Stage 2	N4	Yes	
03.88	23.088	Call Barring (CB) Supplementary Service ; Stage 2	N4	Yes	
03.90	23.090	Unstructured Supplementary Service Data (USSD); Stage 2	N4	Yes	
03.91	23.091	Explicit Call Transfer (ECT) Supplementary Service ; Stage 2	N4	Yes	
03.93	23.093	Call Completion to Busy Subscriber (CCBS); Stage 2	N4	Yes	
03.94	23.094	Follow Me Stage 2	N4	Yes	
03.96	23.096	Name Identification Supplementary Service ; Stage 2	N4	Yes	
03.97	23.097	Multiple Subscriber Profile (MSP); Stage 2	N4	Yes	
04.01	44.001	Mobile Station - Base Station System (MS - BSS) Interface General Aspects and Principles	N1	Yes	
04.02	24.002	GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration	N1	Yes	
04.03	44.003	Mobile Station - Base Station System (MS - BSS) Interface Channel Structures and Access Capabilities	G2	Yes	
04.04	24.004	Layer 1 - General Requirements	G2	Yes	
04.05	44.005	Data Link (DL) Layer General Aspects	G2	Yes	
04.06	44.006	Mobile Station - Base Stations System (MS - BSS) Interface Data Link (DL) Layer Specification	G2	Yes	
04.07	24.007	Mobile Radio Interface Signalling Layer 3 - General Aspects	N1	Yes	
04.08	24.008	Mobile Radio Interface Layer 3 specification; Core Network Protocols; Stage 3	N1	Yes	
04.08	44.008	Mobile radio interface layer 3 specification	N1	Yes	
04.10	24.010	Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects	N4	Yes	
04.11	24.011	Point-to-Point (PP) Short Message Service (SMS) Support on Mobile Radio Interface	N1	Yes	
04.12	44.012	Short Message Service Cell Broadcast (SMSCB) Support on the Mobile Radio Interface	G2	Yes	
04.13	44.013	Performance Requirements on Mobile Radio Interface	N1	Yes	
04.14	44.014	Individual equipment type requirements and interworking; Special conformance testing functions	G2	Yes	
04.18	44.018	Mobile Radio Interface - Layer 3 Specification RR part	G2	Yes	
04.21	44.021	Rate Adaption on the Mobile Station - Base Station System (MS-BSS) Interface	N3	Yes	
04.22	24.022	Radio Link Protocol (RLP) for Data and Telematic Services on the (MS-BSS) Interface and the Base Station System - Mobile-services Switching Centre (BSS-MSC) Interface	N3	Yes	
04.31	44.031	Location Services LCS RR LCS Protocol	G2	Yes	
04.35	44.035	Location Services LCS Stage 3 E-OTD Enhanced Observed	G2	Yes	
04.56	44.056	GSM Cordless Telephony System (CTS), (Phase 1) CTS Radio Interface Layer 3 Specification	N1	Yes	
04.57	44.057	GSM Cordless Telephony System (CTS), (Phase 1) CTS CTS supervising system Layer 3 Specification	N1	Yes	
04.60	44.060	General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol	G2	Yes	
04.63	44.063	Packet Data on Signalling channels Service (PDS) Service Description, Stage 3	N1	Yes	

progenitor Number		Title	WG prime	For pub-	
04.64	44.064	Mobile Station - Serving GPRS Support Node (MS-SGSN) Logical Link Control (LLC) Layer Specification	N1	Yes	
04.65	44.065	Mobile Station (MS) - Serving GPRS Support Node (SGSN); Subnetwork Dependent Convergence Protocol (SNDCP)	N1	Yes	
04.67	24.067	Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3	N4	Yes	
04.68	44.068	Group Call Control (GCC) Protocol	N1	Yes	
04.69	44.069	Broadcast Call Control (BCC) protocol	N1	Yes	
04.71	44.071	Location services (LCS) stage 3	G2	Yes	
04.72	24.072	Call Deflection Supplementary Service ; Stage 3	N4	Yes	
04.80	24.080	Mobile radio Layer 3 Supplementary Service specification - Formats and coding	N4	Yes	
04.81	24.081	Line Identification Supplementary Service; Stage 3	N4	Yes	
04.82	24.082	Call Forwarding Supplementary Service ; Stage 3	N4	Yes	
04.83	24.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service ; Stage 3	N4	Yes	
04.84	24.084	MultiParty (MPTY) Supplementary Service ; Stage 3	N4	Yes	
04.85	24.085	Closed User Group (CUG) Supplementary Service ; Stage 3	N4	Yes	
04.86	24.086	Advice of Charge (AoC) Supplementary Service; Stage 3	N4	Yes	
04.87	24.087	User-to-User Signalling (UUS) ; Stage 3	N4	Yes	
04.88	24.088	Call Barring (CB) Supplementary Service ; Stage 3	N4	Yes	
04.90	24.090	Unstructured Supplementary Service Data (USSD); Stage 3	N4	Yes	
04.91	24.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 3	N4	Yes	
04.93	24.093	Call Completion to Busy Subscriber (CCBS); Stage 3	N4	Yes	
04.96	24.096	Name Identification Supplementary Service ; Stage 3	N4	Yes	
05.01	45.001	Physical Layer on the Radio Path (General Description)	G1	Yes	
05.02	45.002	Multiplexing and Multiple Access on the Radio Path	G1	Yes	
05.03	45.003	Channel coding	G1	Yes	
05.05	45.005	Radio transmission and reception	G1	Yes	
05.08	45.008	Radio subsystem link control	G1	Yes	
05.09	45.009	Link adaptation	G1	Yes	
05.10	45.010	Radio subsystem synchronization	G1	Yes	
05.22	45.022	Radio link management in hierarchical networks	GP	Yes	
05.50	45.050	Background for RF Requirements	GP	Yes	
05.56	45.056	CTS-FP Radio Sub-system	GP	Yes	
06.01	46.001	Full Rate Speech Processing Functions	S4	Yes	
06.02	46.002	Half Rate Speech Processing Functions	S4	Yes	
06.06	46.006	Half Rate Speech: ANSI-C Code for GSM Half Rate Speech Codec	S4	Yes	
06.07	46.007	Half Rate Speech: Test Sequence for GSM Half Rate Speech Codec	S4	Yes	
06.08	46.008	Half Rate Speech; Performance Characterization of the GSM Half Rate speech codec	S4	Yes	
06.10	46.010	Full Rate Speech Transcoding	S4	Yes	
06.11	46.011	Substitution and Muting of Lost Frames for Full Rate Speech Channels	S4	Yes	
06.12	46.012	Comfort Noise Aspects for Full Rate Speech Traffic Channels	S4	Yes	
06.20	46.020	Half Rate Speech Transcoding	S4	Yes	
06.21	46.021	Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels	S4	Yes	
06.22	46.022	Comfort Noise Aspects for Half Rate Speech Traffic Channels		Yes	
06.31	46.031	Discontinuous Transmission (DTX) for Full Rate Speech Traffic Channels	S4	Yes	
06.32	46.032	Voice Activity Detection (VAD)	S4	Yes	
06.41	46.041	Discontinuous Transmission (DTX) for Half Rate Speech Traffic Channels	S4	Yes	
06.42	46.042	Voice Activity Detection (VAD) for Half Rate Speech Traffic Channels	S4	Yes	
06.51	46.051	GSM Enhanced full rate speech processing functions: General description	S4	Yes	
06.53	46.053	ANSI-C code for the GSM Enhanced full rate speech codec	S4	Yes	
06.54	46.054	Test sequences for the GSM Enhanced Full Rate (EFR)	S4	Yes	
06.55	46.055	Performance characterisation of the GSM EFR Speech Codec	S4	Yes	

progenitor			WG prime			
06.60	46.060	Enhanced full rate speech transcoding	S4	Yes		
06.61	46.061	Substitution and muting of lost frames for encanced full rate speech traffic channels	S4	Yes		
06.62	46.062	Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels	S4	Yes		
06.76	46.076	Adaptive Multi-Rate (AMR) speech codec; Study phase report	S4	Yes		
06.81	46.081	Discontinuous Transmission (DTX) for encanced full rate speech traffic channels	S4	Yes		
06.82	46.082	Voice Activity Detection (VAD) for encanced full rate speech traffic channels	S4	Yes		
06.85	46.085	Subjective tests on the interoperability of the HR/FR/EFR speech codecs; single, tandem and tandem free operation	S4	Yes		
07.01	27.001	General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)	N3	Yes		
07.02	27.002	Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities	N3	Yes		
07.03	27.003	Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities	N3	Yes		
07.03	27.103	Wide Area Network Synchronisation	T2	Yes		
07.05	27.005	Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE - DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS)	T2	Yes		
07.07	27.007	AT command set for 3G User Equipment (UE)	T2	Yes		
07.10	27.010	Terminal Equipment to User Equipment (TE-UE) multiplexer protocol User Equipment (UE)	T2	Yes		
07.60	27.060	GPRS Mobile Stations supporting GPRS	N3	Yes		
08.01	48.001	General Aspects on the BSS-MSC Interface	G2	Yes		
08.02	48.002	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface - Interface Principles	G2	Yes		
08.04	48.004	Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface Layer 1 Specification	G2	Yes		
08.06	48.006	Signalling Transport Mechanism Specification for the Base Station System - Mobile Services Switching Centre (BSS-MSC) Interface	G2	Yes		
80.80	48.008	Mobile Switching Centre - Base Station system (MSC-BSS) Interface Layer 3 Specification	G2	Yes		
08.14	48.014	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) interface; Gb Interface Layer 1	G2	Yes		
08.16	48.016	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN) Interface; Network Service	G2	Yes		
08.18	48.018	General Packet Radio Service (GPRS); Base Station System (BSS) - Serving GPRS Support Node (SGSN); BSS GPRS Protocol		Yes		
08.20	48.020	Rate Adaptation on the Base Station System - Mobile Service Switching Centre (BSS-MSC) Interface	N3	Yes		
08.31	48.031	Location Services LCS: Serving Mobile Location Centre - Serving Mobile Location Centre (SMLC - SMLC); SMLCPP specification	G2	Yes		
08.51	48.051	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface General Aspects	G2	Yes		
08.52	48.052	Base Station Controller - Base Tranceiver Station (BSC-BTS) Interface - Interface Principles	G2	Yes		
08.54	48.054	BSC-BTS : Layer 1 Structure of Physical Circuits	G2	Yes		
08.56	48.056	BSC-BTS Layer 2 Specification	G2	Yes		
08.58	48.058	Base Station Controler - Base Transceiver Station (BCS-BTS) Interface Layer 3 Specification	G2	Yes		
08.60	48.060	Inband Control of Remote Transcoders and Rate Adaptors for EFR/FR	GP	Yes		
08.61	48.061	Inband Control of Remote Transcoder and Rate Adaptors;(Half Rate)	GP	Yes		
08.62	28.062	Inband Tandem Free Operation (TFO) of Speech Codecs; Service Description; Stage 3	S4	Yes		
08.71	48.071	Location services (LCS) SMLC-BSS interface L 3	G2	Yes		
09.01	49.001	General Network Interworking Scenarios	N4	Yes		
09.02	29.002	Mobile Application Part (MAP)	N4	Yes		
09.07	29.007	General requirements on Interworking between the PLMN and the ISDN or PSTN	N3	Yes		

progenitor Number		Title	WG prime	For pub-	
09.08	49.008	Application of the Base Station System Application Part (BSSAP) on the E-Interface	N1	Yes	
09.10	29.010	N4	Yes		
09.11	29.011	Signalling Interworking for Supplementary Services	N4	Yes	
09.13	29.013	Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols	N4	Yes	
09.16	29.016	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification	N1	Yes	
09.18	29.018	Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Layer 3 Specification	N1	Yes	
09.31	49.031	Location Services LCS Extension (BSSAP-LE)	G2	Yes	
09.60	29.060	GPRS Tunnelling protocol (GTP) across the Gn and Gp interface		Yes	
09.61	29.061	General Packet Radio Service (GPRS); Interworking between the Public Land Mobile Network (PLMN) supporting GPRS and Packet		Yes	
09.78	29.078	CAMEL; Stage 3		Yes	
10.59	50.059	Project scheduling and open issues for EDGE		No	
10.99	50.099	GERAN project plan and open issues		No	
11.10-1	51.010-1	Conformance Specification	G4	Yes	
11.10-2	51.010-2	Mobile station (MS) conformance specification; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification	G4	Yes	
11.10-3	51.010-3	Layer3 (L3) Abstract Test Suite (ATS)	G4	Yes	
11.10-4	51.010-4	Mobile Station (MS) Conformance Specification; Part 4: SIM Application Toolkit conformance specification	G4	Yes	
11.11	31.111	USIM Application Toolkit (USAT)	T3	Yes	
11.11	51.011	Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) Interface		Yes	
11.13	51.013	Test specification for SIM API for Java card	T3	Yes	
11.21	51.021	GSM Radio Aspects Base Station System Equipment Specification	G3	Yes	
11.26	51.026	GSM Repeater Equipment Specification	G3	Yes	
12.71	52.071	Location Services (LCS); Location services management	S5	Yes	

Annex A (informative): Change history

	Change history								
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New		
2001-03	SP-11	SP-010212	-	-	Approved and placed under TSG SA Change Control (Rel-4)	2.2.0	4.0.0		
2001-07	SP-12	SP-010383	1	1	Correction to list of specs	4.0.0	4.1.0		

History

Document history						
V4.0.0	March 2001	Publication				
V4.1.0	July 2001	Publication				